



# 83 INDEX TO SHEETS

SHEET No.	DESCRIPTION
1	Title Page and Layout Map
2-2a 2b 2c	General Section & Details
3-3	Plan & Profile
4-4	Summary Sheets
5-5	Summary of Structure Structures
6-6	Detail of Intersections & Bypasses
7-7	General Bridge Plan
8-8	Detail of Piers
9-9	Detail of Piers
10-10	Detail of Piers
11-11	Detail of Piers
12-12	Detail of Piers
13-13	Detail of Piers
14-14	Detail of Piers
15-15	Detail of Piers
16-16	Detail of Piers
17-17	Detail of Piers
18-18	Detail of Piers
19-19	Detail of Piers
20-20	Detail of Piers
21-21	Detail of Piers
22-22	Detail of Piers
23-23	Detail of Piers
24-24	Detail of Piers
25-25	Detail of Piers
26-26	Detail of Piers
27-27	Detail of Piers
28-28	Detail of Piers
29-29	Detail of Piers
30-30	Detail of Piers
31-31	Detail of Piers
32-32	Detail of Piers
33-33	Detail of Piers
34-34	Detail of Piers
35-35	Detail of Piers
36-36	Detail of Piers
37-37	Detail of Piers
38-38	Detail of Piers
39-39	Detail of Piers
40-40	Detail of Piers
41-41	Detail of Piers
42-42	Detail of Piers
43-43	Detail of Piers
44-44	Detail of Piers
45-45	Detail of Piers
46-46	Detail of Piers
47-47	Detail of Piers
48-48	Detail of Piers
49-49	Detail of Piers
50-50	Detail of Piers
51-51	Detail of Piers
52-52	Detail of Piers
53-53	Detail of Piers
54-54	Detail of Piers
55-55	Detail of Piers
56-56	Detail of Piers
57-57	Detail of Piers
58-58	Detail of Piers
59-59	Detail of Piers
60-60	Detail of Piers
61-61	Detail of Piers
62-62	Detail of Piers
63-63	Detail of Piers
64-64	Detail of Piers
65-65	Detail of Piers
66-66	Detail of Piers
67-67	Detail of Piers
68-68	Detail of Piers
69-69	Detail of Piers
70-70	Detail of Piers
71-71	Detail of Piers
72-72	Detail of Piers

STATE PROJECT	PARISH	SHEET NO.
253(3)	Lafourche	1

## STATE OF LOUISIANA DEPARTMENT OF HIGHWAYS PLANS OF PROPOSED STATE HIGHWAY

S-253(3)  
STATE PROJECT NO. 64-06-16  
LOCKPORT RELOCATION  
LAFOURCHE PARISH  
La I



DATUM USED: U.S.G.S. (1928)  
MAG. VAR.: 6°-40' E  
BEARINGS ARE: True  
TRANSIT BOOKS: 36-271  
LEVEL BOOKS: 30-491  
PLAN: 1" = 40'  
SCALE: PROFILE: HOR. 1" = 40'  
VERT. 1" = 4'

**LAYOUT MAP**  
SCALE: 1 INCH = 1000 FEET

DESCRIPTION	ALGEBRAIC SUM OF ALL EQUATIONS	GROSS LENGTH FEET	EXCEPTION FEET	BRIDGE LENGTH		ROADWAY LENGTH	
				FEET	MILES	FEET	MILES
9+77.65-130+08.55	107.23	10755.15		370	0.070	11765.13	2.227
TOTAL LENGTH OF BRIDGES				370	0.070		
TOTAL LENGTH OF ROADWAY						11765.13	2.227
TOTAL MILES							2.297

DATE	REVISION	DATE	RECOMMENDED	DATE	APPROVED
11-7-57	As Shown				

TYPE OF CONSTRUCTION: Full Depth Concrete Pavement

DELIVERY POINTS: Lockport, La. See Sec. 5.5, 5.6, 5.7, 5.8, 5.9, 6.0, 6.1, 6.2, 6.3, 6.4, 6.5, 6.6, 6.7, 6.8, 6.9, 7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6, 8.7, 8.8, 8.9, 9.0, 9.1, 9.2, 9.3, 9.4, 9.5, 9.6, 9.7, 9.8, 9.9, 10.0, 10.1, 10.2, 10.3, 10.4, 10.5, 10.6, 10.7, 10.8, 10.9, 11.0, 11.1, 11.2, 11.3, 11.4, 11.5, 11.6, 11.7, 11.8, 11.9, 12.0, 12.1, 12.2, 12.3, 12.4, 12.5, 12.6, 12.7, 12.8, 12.9, 13.0, 13.1, 13.2, 13.3, 13.4, 13.5, 13.6, 13.7, 13.8, 13.9, 14.0, 14.1, 14.2, 14.3, 14.4, 14.5, 14.6, 14.7, 14.8, 14.9, 15.0, 15.1, 15.2, 15.3, 15.4, 15.5, 15.6, 15.7, 15.8, 15.9, 16.0, 16.1, 16.2, 16.3, 16.4, 16.5, 16.6, 16.7, 16.8, 16.9, 17.0, 17.1, 17.2, 17.3, 17.4, 17.5, 17.6, 17.7, 17.8, 17.9, 18.0, 18.1, 18.2, 18.3, 18.4, 18.5, 18.6, 18.7, 18.8, 18.9, 19.0, 19.1, 19.2, 19.3, 19.4, 19.5, 19.6, 19.7, 19.8, 19.9, 20.0, 20.1, 20.2, 20.3, 20.4, 20.5, 20.6, 20.7, 20.8, 20.9, 21.0, 21.1, 21.2, 21.3, 21.4, 21.5, 21.6, 21.7, 21.8, 21.9, 22.0, 22.1, 22.2, 22.3, 22.4, 22.5, 22.6, 22.7, 22.8, 22.9, 23.0, 23.1, 23.2, 23.3, 23.4, 23.5, 23.6, 23.7, 23.8, 23.9, 24.0, 24.1, 24.2, 24.3, 24.4, 24.5, 24.6, 24.7, 24.8, 24.9, 25.0, 25.1, 25.2, 25.3, 25.4, 25.5, 25.6, 25.7, 25.8, 25.9, 26.0, 26.1, 26.2, 26.3, 26.4, 26.5, 26.6, 26.7, 26.8, 26.9, 27.0, 27.1, 27.2, 27.3, 27.4, 27.5, 27.6, 27.7, 27.8, 27.9, 28.0, 28.1, 28.2, 28.3, 28.4, 28.5, 28.6, 28.7, 28.8, 28.9, 29.0, 29.1, 29.2, 29.3, 29.4, 29.5, 29.6, 29.7, 29.8, 29.9, 30.0, 30.1, 30.2, 30.3, 30.4, 30.5, 30.6, 30.7, 30.8, 30.9, 31.0, 31.1, 31.2, 31.3, 31.4, 31.5, 31.6, 31.7, 31.8, 31.9, 32.0, 32.1, 32.2, 32.3, 32.4, 32.5, 32.6, 32.7, 32.8, 32.9, 33.0, 33.1, 33.2, 33.3, 33.4, 33.5, 33.6, 33.7, 33.8, 33.9, 34.0, 34.1, 34.2, 34.3, 34.4, 34.5, 34.6, 34.7, 34.8, 34.9, 35.0, 35.1, 35.2, 35.3, 35.4, 35.5, 35.6, 35.7, 35.8, 35.9, 36.0, 36.1, 36.2, 36.3, 36.4, 36.5, 36.6, 36.7, 36.8, 36.9, 37.0, 37.1, 37.2, 37.3, 37.4, 37.5, 37.6, 37.7, 37.8, 37.9, 38.0, 38.1, 38.2, 38.3, 38.4, 38.5, 38.6, 38.7, 38.8, 38.9, 39.0, 39.1, 39.2, 39.3, 39.4, 39.5, 39.6, 39.7, 39.8, 39.9, 40.0, 40.1, 40.2, 40.3, 40.4, 40.5, 40.6, 40.7, 40.8, 40.9, 41.0, 41.1, 41.2, 41.3, 41.4, 41.5, 41.6, 41.7, 41.8, 41.9, 42.0, 42.1, 42.2, 42.3, 42.4, 42.5, 42.6, 42.7, 42.8, 42.9, 43.0, 43.1, 43.2, 43.3, 43.4, 43.5, 43.6, 43.7, 43.8, 43.9, 44.0, 44.1, 44.2, 44.3, 44.4, 44.5, 44.6, 44.7, 44.8, 44.9, 45.0, 45.1, 45.2, 45.3, 45.4, 45.5, 45.6, 45.7, 45.8, 45.9, 46.0, 46.1, 46.2, 46.3, 46.4, 46.5, 46.6, 46.7, 46.8, 46.9, 47.0, 47.1, 47.2, 47.3, 47.4, 47.5, 47.6, 47.7, 47.8, 47.9, 48.0, 48.1, 48.2, 48.3, 48.4, 48.5, 48.6, 48.7, 48.8, 48.9, 49.0, 49.1, 49.2, 49.3, 49.4, 49.5, 49.6, 49.7, 49.8, 49.9, 50.0, 50.1, 50.2, 50.3, 50.4, 50.5, 50.6, 50.7, 50.8, 50.9, 51.0, 51.1, 51.2, 51.3, 51.4, 51.5, 51.6, 51.7, 51.8, 51.9, 52.0, 52.1, 52.2, 52.3, 52.4, 52.5, 52.6, 52.7, 52.8, 52.9, 53.0, 53.1, 53.2, 53.3, 53.4, 53.5, 53.6, 53.7, 53.8, 53.9, 54.0, 54.1, 54.2, 54.3, 54.4, 54.5, 54.6, 54.7, 54.8, 54.9, 55.0, 55.1, 55.2, 55.3, 55.4, 55.5, 55.6, 55.7, 55.8, 55.9, 56.0, 56.1, 56.2, 56.3, 56.4, 56.5, 56.6, 56.7, 56.8, 56.9, 57.0, 57.1, 57.2, 57.3, 57.4, 57.5, 57.6, 57.7, 57.8, 57.9, 58.0, 58.1, 58.2, 58.3, 58.4, 58.5, 58.6, 58.7, 58.8, 58.9, 59.0, 59.1, 59.2, 59.3, 59.4, 59.5, 59.6, 59.7, 59.8, 59.9, 60.0, 60.1, 60.2, 60.3, 60.4, 60.5, 60.6, 60.7, 60.8, 60.9, 61.0, 61.1, 61.2, 61.3, 61.4, 61.5, 61.6, 61.7, 61.8, 61.9, 62.0, 62.1, 62.2, 62.3, 62.4, 62.5, 62.6, 62.7, 62.8, 62.9, 63.0, 63.1, 63.2, 63.3, 63.4, 63.5, 63.6, 63.7, 63.8, 63.9, 64.0, 64.1, 64.2, 64.3, 64.4, 64.5, 64.6, 64.7, 64.8, 64.9, 65.0, 65.1, 65.2, 65.3, 65.4, 65.5, 65.6, 65.7, 65.8, 65.9, 66.0, 66.1, 66.2, 66.3, 66.4, 66.5, 66.6, 66.7, 66.8, 66.9, 67.0, 67.1, 67.2, 67.3, 67.4, 67.5, 67.6, 67.7, 67.8, 67.9, 68.0, 68.1, 68.2, 68.3, 68.4, 68.5, 68.6, 68.7, 68.8, 68.9, 69.0, 69.1, 69.2, 69.3, 69.4, 69.5, 69.6, 69.7, 69.8, 69.9, 70.0, 70.1, 70.2, 70.3, 70.4, 70.5, 70.6, 70.7, 70.8, 70.9, 71.0, 71.1, 71.2, 71.3, 71.4, 71.5, 71.6, 71.7, 71.8, 71.9, 72.0, 72.1, 72.2, 72.3, 72.4, 72.5, 72.6, 72.7, 72.8, 72.9, 73.0, 73.1, 73.2, 73.3, 73.4, 73.5, 73.6, 73.7, 73.8, 73.9, 74.0, 74.1, 74.2, 74.3, 74.4, 74.5, 74.6, 74.7, 74.8, 74.9, 75.0, 75.1, 75.2, 75.3, 75.4, 75.5, 75.6, 75.7, 75.8, 75.9, 76.0, 76.1, 76.2, 76.3, 76.4, 76.5, 76.6, 76.7, 76.8, 76.9, 77.0, 77.1, 77.2, 77.3, 77.4, 77.5, 77.6, 77.7, 77.8, 77.9, 78.0, 78.1, 78.2, 78.3, 78.4, 78.5, 78.6, 78.7, 78.8, 78.9, 79.0, 79.1, 79.2, 79.3, 79.4, 79.5, 79.6, 79.7, 79.8, 79.9, 80.0, 80.1, 80.2, 80.3, 80.4, 80.5, 80.6, 80.7, 80.8, 80.9, 81.0, 81.1, 81.2, 81.3, 81.4, 81.5, 81.6, 81.7, 81.8, 81.9, 82.0, 82.1, 82.2, 82.3, 82.4, 82.5, 82.6, 82.7, 82.8, 82.9, 83.0, 83.1, 83.2, 83.3, 83.4, 83.5, 83.6, 83.7, 83.8, 83.9, 84.0, 84.1, 84.2, 84.3, 84.4, 84.5, 84.6, 84.7, 84.8, 84.9, 85.0, 85.1, 85.2, 85.3, 85.4, 85.5, 85.6, 85.7, 85.8, 85.9, 86.0, 86.1, 86.2, 86.3, 86.4, 86.5, 86.6, 86.7, 86.8, 86.9, 87.0, 87.1, 87.2, 87.3, 87.4, 87.5, 87.6, 87.7, 87.8, 87.9, 88.0, 88.1, 88.2, 88.3, 88.4, 88.5, 88.6, 88.7, 88.8, 88.9, 89.0, 89.1, 89.2, 89.3, 89.4, 89.5, 89.6, 89.7, 89.8, 89.9, 90.0, 90.1, 90.2, 90.3, 90.4, 90.5, 90.6, 90.7, 90.8, 90.9, 91.0, 91.1, 91.2, 91.3, 91.4, 91.5, 91.6, 91.7, 91.8, 91.9, 92.0, 92.1, 92.2, 92.3, 92.4, 92.5, 92.6, 92.7, 92.8, 92.9, 93.0, 93.1, 93.2, 93.3, 93.4, 93.5, 93.6, 93.7, 93.8, 93.9, 94.0, 94.1, 94.2, 94.3, 94.4, 94.5, 94.6, 94.7, 94.8, 94.9, 95.0, 95.1, 95.2, 95.3, 95.4, 95.5, 95.6, 95.7, 95.8, 95.9, 96.0, 96.1, 96.2, 96.3, 96.4, 96.5, 96.6, 96.7, 96.8, 96.9, 97.0, 97.1, 97.2, 97.3, 97.4, 97.5, 97.6, 97.7, 97.8, 97.9, 98.0, 98.1, 98.2, 98.3, 98.4, 98.5, 98.6, 98.7, 98.8, 98.9, 99.0, 99.1, 99.2, 99.3, 99.4, 99.5, 99.6, 99.7, 99.8, 99.9, 100.0, 100.1, 100.2, 100.3, 100.4, 100.5, 100.6, 100.7, 100.8, 100.9, 101.0, 101.1, 101.2, 101.3, 101.4, 101.5, 101.6, 101.7, 101.8, 101.9, 102.0, 102.1, 102.2, 102.3, 102.4, 102.5, 102.6, 102.7, 102.8, 102.9, 103.0, 103.1, 103.2, 103.3, 103.4, 103.5, 103.6, 103.7, 103.8, 103.9, 104.0, 104.1, 104.2, 104.3, 104.4, 104.5, 104.6, 104.7, 104.8, 104.9, 105.0, 105.1, 105.2, 105.3, 105.4, 105.5, 105.6, 105.7, 105.8, 105.9, 106.0, 106.1, 106.2, 106.3, 106.4, 106.5, 106.6, 106.7, 106.8, 106.9, 107.0, 107.1, 107.2, 107.3, 107.4, 107.5, 107.6, 107.7, 107.8, 107.9, 108.0, 108.1, 108.2, 108.3, 108.4, 108.5, 108.6, 108.7, 108.8, 108.9, 109.0, 109.1, 109.2, 109.3, 109.4, 109.5, 109.6, 109.7, 109.8, 109.9, 110.0, 110.1, 110.2, 110.3, 110.4, 110.5, 110.6, 110.7, 110.8, 110.9, 111.0, 111.1, 111.2, 111.3, 111.4, 111.5, 111.6, 111.7, 111.8, 111.9, 112.0, 112.1, 112.2, 112.3, 112.4, 112.5, 112.6, 112.7, 112.8, 112.9, 113.0, 113.1, 113.2, 113.3, 113.4, 113.5, 113.6, 113.7, 113.8, 113.9, 114.0, 114.1, 114.2, 114.3, 114.4, 114.5, 114.6, 114.7, 114.8, 114.9, 115.0, 115.1, 115.2, 115.3, 115.4, 115.5, 115.6, 115.7, 115.8, 115.9, 116.0, 116.1, 116.2, 116.3, 116.4, 116.5, 116.6, 116.7, 116.8, 116.9, 117.0, 117.1, 117.2, 117.3, 117.4, 117.5, 117.6, 117.7, 117.8, 117.9, 118.0, 118.1, 118.2, 118.3, 118.4, 118.5, 118.6, 118.7, 118.8, 118.9, 119.0, 119.1, 119.2, 119.3, 119.4, 119.5, 119.6, 119.7, 119.8, 119.9, 120.0, 120.1, 120.2, 120.3, 120.4, 120.5, 120.6, 120.7, 120.8, 120.9, 121.0, 121.1, 121.2, 121.3, 121.4, 121.5, 121.6, 121.7, 121.8, 121.9, 122.0, 122.1, 122.2, 122.3, 122.4, 122.5, 122.6, 122.7, 122.8, 122.9, 123.0, 123.1, 123.2, 123.3, 123.4, 123.5, 123.6, 123.7, 123.8, 123.9, 124.0, 124.1, 124.2, 124.3, 124.4, 124.5, 124.6, 124.7, 124.8, 124.9, 125.0, 125.1, 125.2, 125.3, 125.4, 125.5, 125.6, 125.7, 125.8, 125.9, 126.0, 126.1, 126.2, 126.3, 126.4, 126.5, 126.6, 126.7, 126.8, 126.9, 127.0, 127.1, 127.2, 127.3, 127.4, 127.5, 127.6, 127.7, 127.8, 127.9, 128.0, 128.1, 128.2, 128.3, 128.4, 128.5, 128.6, 128.7, 128.8, 128.9, 129.0, 129.1, 129.2, 129.3, 129.4, 129.5, 129.6, 129.7, 129.8, 129.9, 130.0, 130.1, 130.2, 130.3, 130.4, 130.5, 130.6, 130.7, 130.8, 130.9, 131.0, 131.1, 131.2, 131.3, 131.4, 131.5, 131.6, 131.7, 131.8, 131.9, 132.0, 132.1, 132.2, 132.3, 132.4, 132.5, 132.6, 132.7, 132.8, 132.9, 133.0, 133.1, 133.2, 133.3, 133.4, 133.5, 133.6, 133.7, 133.8, 133.9, 134.0, 134.1, 134.2, 134.3, 134.4, 134.5, 134.6, 134.7, 134.8, 134.9, 135.0, 135.1, 135.2, 135.3, 135.4, 135.5, 135.6, 135.7, 135.8, 135.9, 136.0, 136.1, 136.2, 136.3, 136.4, 136.5, 136.6, 136.7, 136.8, 136.9, 137.0, 137.1, 137.2, 137.3, 137.4, 137.5, 137.6, 137.7, 137.8, 137.9, 138.0, 138.1, 138.2, 138.3, 138.4, 138.5, 138.6, 138.7, 138.8, 138.9, 139.0, 139.1, 139.2, 139.3, 139.4, 139.5, 139.6, 139.7, 139.8, 139.9, 140.0, 140.1, 140.2, 140.3, 140.4, 140.5, 140.6, 140.7, 140.8, 140.9, 141.0, 141.1, 141.2, 141.3, 141.4, 141.5, 141.6, 141.7, 141.8, 141.9, 142.0, 142.1, 142.2, 142.3, 142.4, 142.5, 142.6, 142.7, 142.8, 142.9, 143.0, 143.1, 143.2, 143.3, 143.4, 143.5, 143.6, 143.7, 143.8, 143.9, 144.0, 144.1, 144.2, 144.3, 144.4, 144.5, 144.6, 144.7, 144.8, 144.9, 145.0, 145.1, 145.2, 145.3, 145.4, 145.5, 145.6, 145.7, 145.8, 145.9, 146.0, 146.1, 146.2, 146.3, 146.4, 146.5, 146.6, 146.7, 146.8, 146.9, 147.0, 147.1, 147.2, 147.3, 147.4, 147.5, 147.6, 147.7, 147.8, 147.9, 148.0, 148.1, 148.2, 148.3, 148.4, 148.5, 148.6, 148.7, 148.8, 148.9, 149.0, 149.1, 149.2, 149





94

STATE PROJECT	PARISH	SHEET NO.
1-00-1	LAFAYETTE	9

PLAN	DATE
APPROVED	7-55
NOTED	7-55
BY	



PROF.	DATE
APPROVED	7-55
NOTED	7-55
BY	





109

State Project	Ar-14	Sheet No.
64-00-10	Lockport	20



NOTE:  
Name of Highway and Date of Construction  
Required Each End of Bridge.  
See Standard Plans C.M. 85 and C.M. 87.

NO PLACE TO BE REMOVED!  
Located approx. 10:30 N. of Head of  
Proposed Bridge Site. (At 6th Street)  
7 @ 17'-0" Finish, 1 @ 15'-0" Tower Spans  
1 @ 4'-0" and 1 @ 5'-0" Tower Spans  
1 @ 5'-0" x 2'-0" x 2'-0" Steel Parapet  
(4'-0" Clear Roadway)  
Salvageable Material and Steel Parapet  
to be delivered to the Lake Maintenance  
Department at Lockport.  
Removal of existing bridge to be paid for  
under Item 5-222 and hauling of Salvaged  
Material to be included in Item 3-4.

**GENERAL BRIDGE PLAN**

**INTRACOASTAL WATERWAY BRIDGE**  
LOCKPORT  
LA. ROUTE N° 1

DATED: JULY 3, 1957


STATE OF LOUISIANA  
DEPARTMENT OF HIGHWAYS

DESIGNED	W. D. LAU	TRACED	
CHECKED	W. D. LAU	CHECKED	
BRIDGE DESIGN SECTION			







STATE PROJECT	PARISH	SHEET NO.
64-02-12 Lafayette		25



HALF INSIDE ELEVATION OF LIFT SPAN GIRDER



SECTION AT TRANSV. STIFFENERS (TYPICAL THROUGHOUT)




PLAN DECK FRAMING AND LATERAL SYSTEM

**GIRDER DESIGN DATA**


DESIGN SPAN FOR DEAD LOAD	150'-0"
DESIGN SPAN FOR SWLL & LIVE LOAD	153'-0"
DEAD LOAD CONCENTRATION AT PANEL POINTS	13,499 LBS.
UNIFORM DEAD LOAD	468 LBS PER FT.
MAX. MOM. AT C	DL 3351 FT-KIPS
	SWLL 755
	LL 2816
	<u>  919</u>
TOTAL	7435 FT-KIPS

**GIRDER PROPERTIES**


I GROSS	185,746 IN. <sup>4</sup>	MRC = 7622 I-K
I NET @ FLOORBEAM	182,749	MRC = 7622
I NET @ ALT. SPLICE	163,149	MRT = 6869



DETAIL OF ALTERNATE SPLICE




DETAIL OF ALTERNATE SPLICE




PART OUTSIDE ELEVATION OF PIPE HANDRAIL AT GIRDER ENDS

Radiographic inspection of Butt weld in tension flange of girder will be required, and shall be made by the Contractor. No Direct Payment will be made for radiographic inspection.



ELEVATION OF SPAN CENTERING DEVICE (LIFT SPAN SEATED)



**ESTIMATED QUANTITIES (150' VERTICAL LIFT SPAN)**

OPEN GRID BRIDGE FLOORING	4860 SQ. FT.
STRUCTURAL LOW ALLOY STEEL	163,000 LBS.
FABRICATED CARBON STEEL	121,800 LBS.
PIPE HANDRAIL	308.67/ LIN. FT.

**NOTE:** contractor will be required to use alternate splice if he elects to splice girder in field weight of splice material, estimated at 2500 lbs. per splice, will not be included in pay quantity for structural low alloy steel if the contractor elects to use the alternate splice, but shall be included in the price bid on other items.

**DETAILS**  
 150' VERTICAL LIFT SPAN


**STANDARD PLAN**  
 150' VERTICAL LIFT SPAN  
 LIVE LOAD H20-916-44  
 28'-0" ROADWAY  
 4'-5" LIFT  
 5'-0" SIDEWALKS  
 OPEN STEEL GRID FLOOR

STATE OF LOUISIANA  
 DEPARTMENT OF HIGHWAYS


BRIDGE DESIGN SECTION









HALF SECTION THRU ROADWAY AT FLOORBEAM




LIFTING HEAD FOR WIRE ROPES



PLAN VIEW AT FIXED END OF SPAN SHOWING SPAN GUIDE AND BUFFER CONN.




SIDEWALK CLIP IS TYP. FOR ALL TRANSV. STIFFN'R'S. AT INT. FLOORBEAMS  
 SIDEWALK CLIP L TYP. FOR TRANSV. STIFFN'R. AT ALT. SPLICE  
 SIDEWALK CLIP L TYP. FOR ALL TRANSVERSE STIFFN'R'S. BETWEEN FLOORBEAMS  
 SIDEWALK CLIP IS TYP. FOR TRANSVERSE STIFFN'R'S. @ END FLOORBEAMS




SECTION A-A  
 Grid Deck not shown


ST. JOE FOR LIFT SPAN  
 (4 Req'd Total)




CONNECTION DETAIL AT TOWER




PLAN OF SIDEWALK AT FLOORBEAM  
 SECTION B-B




CONNECTION DETAIL FOR LATERAL BRACING AT ODD FLOORBEAMS




CONNECTION DETAIL FOR LAT'L. BRACING AT EVEN FLOORBEAMS




SECTION C-C




SECTION D-D



SPAN BEARING (4 Req'd. Total) (Shall be either steel casting or weldment)



SECTION THRU SIDEWALK BETWEEN FLOORBEAMS



WELDING DETAIL FOR SPAN GUIDE ANGLES

	EXTERIOR STRS.		INTERIOR STRS.		FLOORBEAMS	
	M(K-FT)	R (K)	M(K-FT)	R (K)	M(K-FT)	R (K)
D	6.9	1.4	5.1	1.1	155.6	19.0
SWL	11.4	2.4	0.0	0.0	26.2	3.9
L	48.2	19.5	58.7	20.1	646.1	47.0
I	14.5	4.1	17.6	6.0	193.8	14.1
T	81.0	21.4	81.4	27.2	1021.7	78.0


MOMENTS AND REACTIONS FOR STRINGERS & FLOORBEAMS

STANDARD PLAN  
 150' VERTICAL LIFT SPAN  
 LIVE LOAD H20-S16-44  
 28'-0" ROADWAY  
 45'-0" LIFT  
 5'-0" SIDEWALKS  
 OPEN STEEL GRID FLOOR  
 DATE: MARCH 18 57

DEPARTMENT OF HIGHWAYS  
 BRIDGE DESIGN SECTION








TOWER CAMBER DIAGRAM  
 LEGEND: ————— Indicates uncambered position of tower  
 - - - - - Indicates cambered position of tower.

MEMBER	DL STRESS KIPS	LENGTH INS.	AREA SQ. INS.	SL CALCULATED INS.	SL ACTUAL INS.	"U" STRESS IKIP LD @ d	$\Delta H = \frac{SUL}{AE}$
DC	253.1	252	42.60	0.0516"	0.0625"	-0.8400	+0.0525
CB	269.1	252	42.60	0.0549"	0.0625"	-1.6800	+0.1050
BA	307.2	310	42.60	0.0771"	0.0625"	-2.7138	+0.1696
dc	29.3	252	42.60	0.0060"	0.0000"	0.0000	0.0000
cb	42.7	252	42.60	0.0087"	0.0000"	+0.8400	0.0000
bc	90.0	310	42.60	0.0226"	0.0313"	+1.6800	-0.0525


$\Sigma \frac{SUL}{AE} = \Delta H = +0.2746$



WILLIOT DIAGRAM  
 SCALE 1" = 0.0500"

GENERAL NOTES:

CONSTRUCTION SPECS: LA. DEPT OF HIGHWAYS STD. SPECS. FOR ROADS AND BRIDGES, DATED JULY, 1955  
 DESIGN SPECS: A. A. S. H. O. STD. SPECS. FOR HIGHWAY BRIDGES, 1953, AS AMENDED TO DEC., 1955  
 WELDING SPECS: STD. SPECS. FOR WELDED HIGHWAY AND RAILWAY BRIDGES, 1956, AND LA. DEPT. OF HWYS. SPECIAL PROVISIONS.  
 LIVE LOAD: H20-516-44.  
 REINFORCING BARS SHALL BE INTERMEDIATE OR HARD GRADE A.S.T.M. A15, OR RAIL STEEL, A.S.T.M. A16, AND SHALL CONFORM TO A.S.T.M. A-305.  
 DIMENSIONS TO REINFORCING STEEL ARE TO BAR CENTERS. EXPOSED CONCRETE CORNERS TO BE CHAMFERED UNLESS OTHERWISE NOTED. HANDRAIL AND HANDRAIL POSTS TO BE POURED IN ONE OPERATION. HANDRAIL POSTS TO BE CONSTRUCTED NORMAL TO GRADE. CONCRETE AND REINFORCING STEEL IN H.R. ABOVE TOP OF 4" SIDEWALK CURB TO BE PAID FOR PER LIN. FT. OF CONCRETE H.R., INCLUDING BARS L1, L2 AND L3 THAT PROJECT INTO SAID CURB. PIPE HANDRAIL AND BRACKETS, INCLUDING ANCHOR BOLTS FOR SAME, ON TOWER SPAN, ARE TO BE PAID FOR PER LIN. FT. OF PIPE HANDRAIL. NO DEDUCTION IN QUANTITY OF CLASS "A" CONCRETE WILL BE MADE FOR 3" x 3" DRAIN OPENINGS. SURFACE FINISHES, WHERE INDICATED, SHALL CONFORM TO THE AMERICAN STANDARDS FOR SURFACE ROUGHNESS, FINENESS AND LAY, PART 1 A.S.A. 846.1-1947. SHOP CONNECTIONS OF RIVETS, OPEN HOLES UNLESS OTHERWISE NOTED. ALL RIVETS SHALL CONFORM TO A.S.T.M. A42. THE CONTRACTOR MAY SUBSTITUTE HIGH STRENGTH BOLTS FOR RIVETS FOR ALL FIELD CONNECTIONS. WELDED PLATE GIRDERS ARE TO BE CAMBERED FOR DEAD LOAD AND VERTICAL CURVATURE AS SHOWN ON PLANS. FLOORBEAMS AND STRINGERS NEED NOT BE CAMBERED BUT ARE TO BE FABRICATED WITH CONVEX FLANGE UP. MATERIAL MARKED "L.A." SHALL BE STRUCTURAL LOW ALLOY STEEL, A.S.T.M. DESIGNATION A242. THE CONTRACTOR'S ATTENTION IS CALLED TO THE ALTERNATE SPLICES, AND NOTE THEREON, FOR THE WELDED GIRDERS OF THE VERTICAL LIFT SPAN TOWERS SHALL BE CAMBERED SO THAT FRONT LEGS WILL BE VERTICAL UNDER DEAD LOAD.  
 TOWER COLUMNS AND LONGITUDINAL BRACING SHALL BE SHOP ASSEMBLED, AND THE HOLES IN THE FIELD CONNECTIONS OF THE LONGITUDINAL BRACING MEMBERS AND COLUMN SPLICES SHALL BE REAMED AT ASSEMBLY. SHOP ASSEMBLY WILL NOT BE REQUIRED FOR THE TRANSVERSE BRACING, AND THE HOLES FOR THE FIELD CONNECTIONS OF THE TRANSVERSE BRACING MAY BE PUNCHED OR DRILLED FULL SIZE.



WIND LOADS AND STRESSES FOR 50 MPH WIND  
 SPAN LOWERED

BASIS OF DESIGN FOR LATERAL STRESSES  
 SPAN LOWERED: 50 MPH WIND @ 125% OF BASIC STRESSES  
 SPAN RAISED: 50 MPH WIND @ 150% OF BASIC STRESSES  
 15 MPH WIND @ 125% OF BASIC STRESSES

MAXIMUM REACTION PER SHOE

	FRONT COL.	REAR COL.
D.L.	375 K	182 K
D.L.I.	75 K	36 K
L.L.	91 K	44 K
L.L.I.	18 K	13 K
S.W.L.L.	25 K	10 K

TABLE OF ESTIMATED QUANTITIES

	2 TOWERS	2 COUNTERWEIGHTS
CLASS "A" CONCRETE	98.40 CU. YDS.	
BAR CARBON STEEL	58,700 LBS.	41,440 LBS.
DEF. REINFR. STEEL	17,872 LBS.	8460 LBS.
CONCRETE HANDRAIL	91.00 LIN. FT.	
PIPE HANDRAIL	91.00 LIN. FT.	
CLASS "A" CONCRETE IN COUNTERWEIGHTS		89.48 CU. YDS.
STRUCTURAL LOW ALLOY STEEL	36,600 LBS.	
BALANCE CHAINS		LUMP

TOWER DESIGN DATA

STANDARD PLAN  
 150' VERTICAL LIFT SPAN  
 LIVE LOAD H20-516-44  
 28'-0" ROADWAY 5'-0" SIDEWALKS  
 4'-0" LIFT OPEN STEEL GRID FLOOR  
 DATED MAY 9 1957


STATE OF LOUISIANA  
 DEPARTMENT OF HIGHWAYS

DESIGNED BY: [Signature] CHECKED BY: [Signature] TRACED BY: [Signature]  
 ENGINEER: [Signature] CHECKED BY: [Signature] ENGINEER: [Signature]

BRIDGE DESIGN SECTION










**BILL OF MATERIAL (ONE SPAN)**

BAR	SIZE	Nº	LENGTH	TOTAL LENGTH	LOCATION
A	#4	32	27'-4"	1008'-8"	Longit. in slab
<b>TOTAL Nº 4 BARS = 1008'-8" = 5702 LBS.</b>					
N	#8	6	28'-1"	168'-6"	Longit. in S.N. Beam
<b>TOTAL Nº 8 BARS = 168'-6" = 450 LBS.</b>					
D	#5	20	30'-0"	600'-0"	Transv. Ball of Slab
E	#5	30	3'-3"	97'-0"	Top of Slab @ Curb End
F	#5	58	3'-0"	203'-0"	Curb
S	#5	8	4'-10"	98'-8"	Diaphragm
3	#5	8	3'-8"	20'-4"	Diaph. to Slab Down
<b>TOTAL Nº 5 BARS = 1238'-0" = 1802 LBS.</b>					
C	#4	14	30'-0"	420'-0"	Transv. in Top of Slab
O	#4	34	20'-2"	687'-0"	Longit. Top Slab @ S.N.
G	#4	72	5'-2"	372'-0"	Top of Slab Transv. in S.N.
K	#4	34	0'-3"	337'-0"	Stirrups in S.N. Beam
R	#4	30	4'-2"	125'-0"	Stirrups in Diaph.
<b>TOTAL Nº 4 BARS = 2144'-2" = 1432 LBS.</b>					
<b>TOTAL REINFORCING STEEL = 8896 LBS.</b>					
<b>TOTAL CLASS "A" CONCRETE = 40.2 CU. YDS.</b>					
<b>FABRICATED CARBON STEEL = 577 LBS.</b>					
<b>CONCRETE HANDRAIL = 45.50 LIN. FT.</b>					
<b>PIPE HANDRAIL = 45.50 LIN. FT.</b>					



**STANDARD PLAN  
150' VERTICAL LIFT SPAN**  
LIVE LOAD H20-S16-44  
28'-0" ROADWAY  
45'-0" LIFT  
DATED FEB. 28, 1957





STATE OF LOUISIANA  
DEPARTMENT OF HIGHWAYS

DESIGNED	Detailed	TRACED & CHECKED
CHECKED	SLP	Checked

BRIDGE DESIGN SECTION







**SURFACE FINISHES:**  
 All steel surfaces to have ASA 1B5 for  
 Anchor Shirts and parts in contact with  
 concrete to have ASA 1B50 Fin.  
 Base of Castings and bearing plates to  
 have ASA 2B1 Fin.

**STANDARD PLAN**  
**150' VERTICAL LIFT SPAN**  
 LIVE LOAD H20-S16-44  
 28'-0" ROADWAY 5'-0" SIDEWALKS  
 45'-0" LIFT OPEN STEEL GRID FLOOR  
 DATED April 30, 1957

STATE OF LOUISIANA  
 DEPARTMENT OF HIGHWAYS


DESIGNED *[Signature]* CHECKED *[Signature]* TRACED *[Signature]*  
 CHECKED *[Signature]* CHECKED *[Signature]* CHECKED *[Signature]*  
 BRIDGE DESIGN SECTION






119

STATE PROJECT	PARISH	SHEET
G.A. 00-16	Lafourche	30




HALF ELEVATION AT REAR OF TOWER



HALF ELEVATION AT FRONT OF TOWER

SIDE ELEVATION



SECTION THRU TYPICAL OPTIONAL COLUMN SPLICE

NOTE: SEE SHEET N° 7 OF 26 FOR SECTION B-B, C-C, D-D, E-E AND F-F

**TOWER DETAILS**

**STANDARD PLAN**  
**150' VERTICAL LIFT SPAN**  
 LIVE LOAD H20-S16-44  
 28'-0" ROADWAY 5'-0" SIDEWALKS  
 45'-0" LIFT OPEN STEEL GRID FLOOR  
 APRIL 28 57

STATE OF LOUISIANA  
 DEPARTMENT OF HIGHWAYS


*[Signatures]*  
 BRIDGE DESIGN SECTION





20

STATE PROJECT	PARISH	SHEET
01-001G Lafourche		31




END CONNECTION B:  
FOR 12 C 20.7, 2 L 4x3 1/2 x 3/8  
FOR 18 C 42.7, 18 WF 50,  
21 WF 62, 24 WF 94 -  
2 L 4x3 1/2 x 3/8, OR  
AS REQUIRED.

MACH HOUSE FLOOR TO BE 1/2" WITH RAISED PATTERN WHERE IT MUST BE CUT, SUPPORT EDGE WITH 8 C.I.I.S OR L AS REQ'D. RIVET TO INTERIOR SUPPORTS WITH 3/8" RIVETS, 3" O.C. GRIND & SMOOTH UNDER MACH. AND MACH. SUPPORTS.

NOTE: HOLES FOR MACH. IN STRUCTURAL SUPPORTS SHALL BE LEFT BLANK TO BE DRILLED IN FIELD AFTER MACH. HAS BEEN SET TO CORRECT ALIGNMENT & ADJUSTMENT, OR SUB-PUNCHED OR DRILLED 1/8" SMALLER & REAMED TO SIZE IN FIELD AFTER SECTION.

HALF PLAN OF TOWER AT FLOOR LEVEL (FLOOR PL. REMOVED)


HALF PLAN TOWER




SECTION B-B TYPICAL OF ALL TRANSV. STIFFENERS

SECTION E-E


SECTION F-F




PLAN VIEW AT TOP OF STUB AND TOWER COLUMNS



DETAILS AERIAL CABLE BRACKET (4 REQ'D)



ELEVATION



SECTION C-C

SECTION D-D

NOTE: FOR DETAIL OF CHANNEL PLATE AROUND MACHINERY HOUSE, SEE DETAILS OF MACHINERY HOUSE.

TOWER DETAILS

**150' STANDARD LIFT SPAN**  
**VERTICAL LIFT SPAN**  
 LIVE LOAD H20-S16-44  
 28'-0" ROADWAY 45'-0" LIFT 5'-0" SIDEWALKS  
 OPEN STEEL GRID FLOOR  
 DATED APRIL 29 '57  
 STAT. OF LOUISIANA  
 DEPARTMENT OF HIGHWAYS  
 BRIDGE DESIGN SECTION















123

STATE PROJECT	PARISH	SHEET NO.
64-00110	Lafourche	34



**NOTES:**  
 The method of supporting the counterweight in the event the contractor elects to float in the completed lift span is suggestive only, and the contractor may use any other satisfactory method of his choice. All items marked (E) are classified as erection material. No direct payment will be made for erection material, and all material so classified, with the exception of E & 3/4" and E 15 x 5, permanently fixed to counterweight, shall remain the property of the contractor.

SUGGESTED METHOD OF SUPPORTING COUNTERWEIGHT DURING ERECTION

COUNTERWEIGHT ERECTION DETAILS

**STANDARD PLAN  
 150' VERTICAL LIFT SPAN**  
 LIVE LOAD H20-S16-44  
 28'-0" ROADWAY 5'-0" SIDEWALKS  
 45'-0" LIFT OPEN STEEL GRID FLOOR  
 DATED May 3, 1957

STATE OF LOUISIANA  
 DEPARTMENT OF HIGHWAYS

DESIGNED <i>S. L. P.</i>	DETAILED <i>S. L. P.</i>	TRACED <i>D. Andrews</i>
CHECKED <i>S. L. P.</i>	CHECKED <i>S. L. P.</i>	CHECKED <i>R. Williams</i>

BRIDGE DESIGN SECTION







DATE	DESCRIPTION	BY






124

STATE PROJECT	PARISH	SHEET
62-06-1G	Lafayette	35



**GENERAL NOTES:**  
 CONSTRUCTION AND DESIGN SPECIFICATIONS: According to the latest design and methods of erection of the "40" STRONG RIB ALUM.", as manufactured by the Gussner Taylor Steel Co. or an approved equal. Materials and Section to be the equivalent, or better, than the 40" Strong Rib Alum. 1/2" Floor #2 to be paid for as fabricated Carbon Steel. All other materials necessary to complete house are to be paid in Lump Sum Bid for "Machinery House". Door and window to be complete and as specified, or an approved equal. Provide lock for door.  
 Flashing to be 26 Ga. Gln. Sheet Metal, and provided where necessary, to make the house substantially water-tight. Doors and windows to be glazed with polished hard glass. Provide necessary bracing in walls and ceiling.  
 Gln. surfaces to receive two field coats of aluminum paint. All foreign material shall be removed from surfaces before painting. The contractor will not be required to treat Gln. surfaces with solution stipulated in specifications "Finishing of Metal Surfaces" Art. 4.13, Part 3, Div. II, Std. Specs.



**MACHINERY HOUSES**

**STANDARD PLAN**  
**150' VERTICAL LIFT SPAN**  
 LIVE LOAD H20-S16-44  
 28'-0" ROADWAY 5'-0" SIDEWALKS  
 45'-0" LIFT OPEN STEEL GRID FLOOR  
 DATED May 8 1957

STATE OF LOUISIANA  
 DEPARTMENT OF HIGHWAYS


DESIGNED	D. TAILED	TRACED
CHECKED	CHICAGO	CHECKED

BRIDGE DESIGN SECTION

DATE	DESCRIPTION	BY
	REVISIONS	

SHEET 11 OF 26








SL50-150-28





125

STATE PROJECT	PARISH	SHEET
62-051G	Lafayette	35







**GENERAL NOTES:**  
 CONSTRUCTION AND DESIGN SPECIFICATIONS: According to the latest design and methods of erection of the "SP" STRONG RIB BLDG., as manufactured by the Gascon - Taylor Steel Co. or an approved equal materials and design to be the equivalent or better than the 40' Strong Rib Bldg. 1st Floor to be paid for as fabricated carbon steel. All other materials necessary to complete house are to be paid in lump sum bid for "Machinery House", Door and Windows to be complete and as specified, or an approved equal. Provide lock for Door.  
 Flashing to be 20 Ga. Galv. Steel Metal, and provide wherever necessary to make the house substantially watertight. Doors and windows to be glazed with polished wire glass. Provide necessary bracing in walls and ceiling.  
 Galv. Surfaces to receive two field coats of aluminum paint. All foreign material shall be removed from surfaces before painting. The Contractor will not be required to treat Galv. Surfaces with solution stipulated in specifications "Painting of Metal Surfaces" Art. 4.13, Part 5, Div. 22, Std. Specs.

MACHINERY HOUSES		
<b>STANDARD PLAN 150' VERTICAL LIFT SPAN</b>		
LIVE LOAD H20-S16-44		
28'-0" ROADWAY		6'-0" SIDEWALKS
45'-0" LIFT		OPEN STEEL GRID FLOOR
DATED May 8, 1957		
STATE OF LOUISIANA DEPARTMENT OF HIGHWAYS		
DESIGNED	DETAILED	TRACED/AMENDED
CHECKED	CHECKED	CHECKED
BRIDGE DESIGN SECTION		



SI 50-150-28





PLAN SHOWING HOUSE LOCATION AND STRUCTURAL STEEL LOCATION. SCALE: 1/8" = 1'-0"

MARK	SIZE	TYPE	STYLE	REMARKS
1	3'-0" x 7'-0" x 1 1/2"	Slab-on-Grade	1 1/2" Glass	Aluminum Frame
2	2'-0" x 6'-0" x 1 1/2"	Flush	Steel	Steel Metal Frame
3	1'-0" x 6'-0" x 1 1/2"	Flush	Steel	Steel Metal Frame
A	3'-0" x 6'-0" x 1 1/2"	Slab-on-Grade	3/8" Glass	Aluminum Frame G33-T5
B	1'-0" x 2'-0" x 1 1/2"	Slab-on-Grade	3/8" Glass	Aluminum Frame G33-T5

ITEM	WALLS		CEILING	FLOOR	BASE	TRIM	ROOF	MAINFLOOT
	OUTSIDE	INSIDE						
House	Subsoil	Tile & Plaster	Plaster	Tile	Tile	Metals	Dr. (Gravel) 8" Bars 18"	
Toilet	-	Tile & Plaster	Plaster	Tile	Tile	Metals	-	As Above
Cabinets	Plaster	1/2" Plywood	Plaster	Tile	-	Metals	-	

NOTE:  
All Aluminum Surfaces to be placed in contact with, or fastened to, steel members shall be thoroughly coated with an approved aluminum impregnated caulking compound. All Aluminum Surfaces to be placed in contact with concrete shall be given a heavy coat of an approved alkali-resistant bituminous paint, or a coat of Zinc Chromate paint, and allowed to dry before placing on the concrete.

OPERATING HOUSE


**150' STANDARD PLAN**  
**150' VERTICAL LIFT SPAN**  
LIVE LOAD H20-S16-44  
2'-0" ROADWAY 5'-0" SIDEWALKS  
45'-0" LIFT OPEN STEEL GRID FLOOR

DATE: May 13 1957


STATE OF LOUISIANA  
DEPARTMENT OF HIGHWAYS

DESIGNED BY	DRAWN BY	CHECKED BY
REVISIONS		


BRIDGE DESIGN SECTION









FRONT ELEVATION  
SCALE: 1/2" = 1'-0"




SIDE ELEVATION  
SCALE: 1/2" = 1'-0"



REAR ELEVATION  
SCALE: 1/2" = 1'-0"




SIDE ELEVATION  
SCALE: 1/2" = 1'-0"




HALF FRONT ELEVATION  
SHOWING REINFORCING  
SCALE: 1/2" = 1'-0"

HALF REAR ELEVATION  
SHOWING REINFORCING  
SCALE: 1/2" = 1'-0"



SECTION B-B  
SCALE: 1/2" = 1'-0"



ANCHOR DETAILS  
FOR  
EXTERIOR BEAMS

OPERATING HOUSE








STANDARD PLAN 150' VERTICAL LIFT SPAN LIVE LOAD H20-S16-44		
28'-0" ROADWAY	45'-0" LIFT	5'-0" SIDEWALKS OPEN STEEL GRID FLOOR
DATED May 13, 1957		
STATE OF LOUISIANA DEPARTMENT OF HIGHWAYS		
DESIGNED <i>Neen</i>	DETAILED <i>Neen</i>	TRACED <i>S. Davis</i>
CHECKED <i>Neen</i>	CHECKED <i>R. Law</i>	CHECKED <i>R. Law</i>
BRIDGE DESIGN SECTION		

DATE	DESCRIPTION	BY






128



BILL OF REINFORCING STEEL					
BAR	SIZE	N°	UNIT LENGTH	TOTAL LENGTH	LOCATION
A	5	54	15'-5"	822'-5"	short span in Roof Slab
C	5	4	35'-8"	142'-8"	Horiz. in Front and Rear walls (top)
C1	5	4	35'-8"	142'-8"	Horiz. in Front & Rear walls over windows
C2	5	4	14'-2"	56'-8"	Horiz. in Side walls (top)
D	5	54	16'-9"	904'-6"	short span in Floor Slab (bottom)
E	5	54	14'-6"	783'-0"	short span in Floor Slab (top)
Total #5 Bars = 2862'-0" = 2985 Lbs.					
B	3	18	35'-8"	642'-0"	Long Span in Roof Slab
E	3	15	35'-4"	515'-0"	Long Span in Floor Slab (bottom)
F	3	2	5'-3"	10'-6"	Horiz. in Side wall over toilet window
H	3	10	14'-2"	141'-8"	Horiz. in Side walls
H1	3	6	9'-10"	59'-0"	Horiz. in Side wall below toilet window
H2	3	20	35'-8"	713'-4"	Horiz. in Front and Rear walls
H3	3	10	4'-8"	46'-8"	Horiz. in Front wall between windows
H4	3	10	5'-8"	55'-0"	Horiz. in Rear wall between windows
H5	3	20	5'-8"	113'-4"	Horiz. in Rear wall at ends
H6	3	14	4'-4"	60'-8"	Horiz. in wall near door
H7	3	3	5'-9"	16'-0"	Horiz. in wall near door
H8	3	2	9'-9"	19'-6"	Horiz. in wall over door
H9	3	4	1'-6"	6'-0"	Horiz. in side wall near toilet window
H10	3	6	5'-9"	34'-6"	Horiz. in side wall near toilet window
J	3	18	35'-0"	630'-0"	Long Span in Floor Slab (top)
S	3	4	3'-8"	14'-8"	Hoops in wall near door
V	3	84	10'-6"	882'-0"	vertical in walls
V1	3	108	2'-10"	306'-0"	vertical in walls below windows
V2	3	112	2'-2"	222'-8"	vertical in walls above windows
V3	3	8	3'-0"	24'-0"	vertical in walls above door
V4	3	4	5'-9"	23'-0"	vert. in side wall below toilet window
Total #3 Bars = 4513'-6" = 1697 Lbs.					



*[Handwritten signature]*


OPERATING HOUSE

STANDARD PLAN  
 150' VERTICAL LIFT SPAN  
 LIVE LOAD H20-S16-44  
 28'-0" ROADWAY 5'-0" SIDEWALKS  
 45'-0" LIFT OPEN STEEL GRID FLOOR  
 DATED MAY 14 '57

STATE OF LOUISIANA  
 DEPARTMENT OF HIGHWAYS



DESIGNED: [Signature] CHECKED: [Signature] DRAWN: [Signature]  
 CHECKED: [Signature] REVISIONS:

BRIDGE DESIGN SECTION





129



PROJECT AREA  
 SHEET NO. 39  
 DATE 12/15/57

ELEVATION  
 SHOWING SPAN OPERATING MACHINERY

THICKNESS AND NO. OF SHIMS TO BE FURNISHED

THICKNESS	3/8"	1/2"	3/4"
1/8"	2	2	3
1/4"	4	2	4
3/8"	6	5	5

**NOTE:**  
 THE CONTRACTOR SHALL DETERMINE THE FINAL DIMENSIONS OF PARTS INVOLVING COMMERCIAL PRODUCTS SUCH AS MOTORS, SPEED REDUCERS, BEARINGS, ELECTRICAL EQUIPMENT AND THE LIKE, FROM CERTIFIED DIMENSIONS OUTLINES OF THE COMMERCIAL PRODUCTS BEFORE MAKING SHOP DRAWINGS OF THE PARTS INVOLVED.

**PAINTING NOTE:**  
 ALL UNFINISHED SURFACES OF MACHINERY SHALL BE PAINTED ONE SHOP COAT OF RED LEAD AND OIL. ALL FINISHED SURFACES SHALL BE COATED WITH WHITE LEAD AND PALLON BEFORE SHIPMENT AND SHALL BE PROTECTED BY WOODEN LAGGING.

**LUBRICATION NOTE:**  
 LUBRICANTS TO BE SHOWN ON DETAIL DRAWING. LUBRICANTS SHALL BE AS FOLLOWS OR APPROVED EQUAL:  
 PILLOW BLOCKS, COUPLINGS & TRUNION BEARINGS - ESSO FORD GREASE "O".  
 ENCLOSED SPEED REDUCER - STD. OIL TERES30 95" VISO 3AE 30.  
 WIRE ROPE - STD. OIL CO. SURETTE COMPOUND NY 1500.

**MI**

GENERAL ARRANGEMENT OF SPAN OPERATING MACHINERY

**STANDARD PLAN**  
**150' VERTICAL LIFT SPAN**  
 LIVE LOAD H20-S16-44  
 28'-0" ROADWAY 5'-0" SIDEWALKS  
 45'-0" LIFT OPEN STEEL GRID FLOOR  
 DATE: APRIL 25, 1957

STATE OF LOUISIANA  
 DEPARTMENT OF HIGHWAYS

BRIDGE DESIGN SECTION


DESIGNED BY: KUREL  
 CHECKED BY: KUREL  
 DATE: APRIL 25, 1957

REVISIONS

NO.	DESCRIPTION
1	...


SHEET 15 OF 26

SL50-150-28








130



GENERAL ARRANGEMENT OF BRIDGE MACHINERY ON DWG. # M1



SECTION "A"- "B"



SELSYN MOUNTING AND GEARS ON DWG. M6

**NOTE:**  
 FOR REMOVING PINION SHAFT REMOVE CAPS, BEARINGS AND GREASE SEALS FROM BOTH ENDS OF THE ASSEMBLY. ROTATE THE PINION SPACER NEAREST THE COUPLING END OF THE SHAFT UNTIL ITS KEY SLOT IS IN LINE WITH THE KEY SLOT IN THE BORE OF THE HOUSING. ROTATE THE SHAFT UNTIL THE KEYS ARE STRAIGHT DOWN. LIFT IT UPWARD AGAINST THE TOP OF THE BORE AND PRESS IT OUT IN THE DIRECTION OF THE COUPLING END.

**NOTE:**  
 THE CONTRACTOR SHALL DETERMINE THE FINAL DIMENSIONS OF PARTS INVOLVING COMMERCIAL PRODUCTS SUCH AS MOTORS, SPEED REDUCERS, BEARINGS, ELECTRICAL EQUIPMENT AND THE LIKE, FROM CERTIFIED DIMENSIONS OUTLINES OF THE COMMERCIAL PRODUCTS BEFORE MAKING SHOP DRAWINGS OF THE PARTS INVOLVED.  
 UNLESS OTHERWISE SHOWN ON DETAIL DRAWING LUBRICANT SHALL BE AS FOLLOWS OR APPROVED EQUAL:  
 PILLOW BLOCKS, COUPLINGS & TRUNION BEARINGS - ESSO FIBRE GREASE "C"  
 EXPOSED TEETH - MEDIUM HARD GREASE.  
 ENCLOSED SPEED REDUCERS - STD. OIL "TERESSO 65" VISC SAE 30.  
 WIRE ROPE - STD. OIL CO. SURFETTE COMPOUND N° 1500.  
 ALL UNFINISHED SURFACES OF MACHINERY SHALL BE PAINTED ONE SHOP COAT OF RED LEAD AND OIL.  
 ALL FINISHED SURFACES SHALL BE COATED WITH WHITE LEAD AND TALLOW BEFORE SHIPMENT AND SHALL BE PROTECTED BY WOODEN LAGGERS.

*Handwritten signature*

<b>M2</b>		
ASSEMBLY OF GEAR TRAIN FOR SHEAVE DRIVE		
<b>STANDARD PLAN</b>		
<b>150' VERTICAL LIFT SPAN</b>		
LIVE LOAD H20-S16-44		
28'-0" ROADWAY	5'-0" SIDEWALKS	
45'-0" LIFT	OPEN STEEL GRID FLOOR	
DATED FEB. 22 1957		
STATE OF LOUISIANA		
DEPARTMENT OF HIGHWAYS		
DESIGNER <i>Ruzel</i>	DETAILED <i>Ruzel</i>	TRACED <i>Q. Chappin</i>
CHECKED <i>Brewer</i>	CHECKED <i>Brewer</i>	CHECKED <i>Brewer</i>
BRIDGE DESIGN SECTION		

4-9-58	REV. PART NO.	DESCRIPTION	DATE
		REVISIONS	


SHEET 16 OF 26

SL50-150-28







131



BILL OF MATERIAL FOR ONE SPAN			
PART #	QTY	DESCRIPTION	MATERIAL
1	8	TRUNION BEARING HOUSING	ST. CAST. ASTM-A27-GR 65-35
2	8	HOUSING COVER	ST. CAST. ASTM-A27-GR 65-35
3	4	SHEAVE	ST. CAST. ASTM-A27-GR 65-35
4	8	SHEAVE THRUSTWASHER	BRONZE
5	4	TRUNION	ST. FORG. ASTM-A285-CL. G
6	5	CONN. ARM RETAINER	STEEL
7	8	TRUNION BEARING SKF 22209 CK-2NN1 OR TORR 1905023A	COMM.
8	16	1" DIA. PIN - 4" LONG	STEEL
9	8	GARLOCK SEAL #S1-3510	COMM.
10	64	1/16" DIA. CAPSCREW - 2 1/2" LG.	STEEL
11	64	SHAKEPROOF LOCKWASHER	COMM.
12	32	1/16" DIA. CAPSCREW - 1 1/2" LG.	STEEL
13	32	SHAKEPROOF LOCKWASHER	COMM.
14	12	1/16" DIA. CAPSCREW - 1" LONG	STEEL
15	12	SHAKEPROOF LOCKWASHER	COMM.
16	21	ALEMITE HYDRAULIC FITTING	COMM.
17	16	COUNTERSUNK PLUG	BRASS
18	48	TURNED BOLT COMPL.	STEEL
19	4	MOTOR BASE	STEEL WELDM.
20	16	MOTOR BOLT COMPL.	STEEL
21	6	BASE FOR REDUCER	STEEL C.P. 1/2" X 3"
22	12	BOLT FOR REDUCER - COMPL.	STEEL



**GENERAL NOTES:**  
 ALL PARTS FURNISHED BY THE CONTRACTOR SHALL BE AS SHOWN OR APPROVED EQUAL. ALL PARTS LISTED ON THIS SHEET TO BE INCLUDED IN ITEM 5-B-1 MOVABLE BRIDGE MACHINERY, INCLUDING ALL NECESSARY SHIMS. ALL BOLTS TO HAVE ONE NUT AND ONE HEAVY SAE LOCKWASHER, UNLESS NOTED, OR OTHER MEANS OF LOCKING NUT ARE SHOWN ON DETAILS. THE CONTRACTOR SHALL DETERMINE THE FINAL DIMENSIONS OF PARTS INVOLVING COMMERCIAL PRODUCTS SUCH AS MOTORS, SPEED REDUCERS, BEARINGS, ELECTRICAL EQUIPMENT AND THE LIKE, FROM CERTIFIED DIMENSIONS OUTLINES OF THE COMMERCIAL PRODUCTS BEFORE MAKING SHOP DRAWINGS OF THE PARTS INVOLVED.

**M3**

DETAILS OF SHEAVE & SHEAVE DRIVE

**STANDARD PLAN**  
**150' VERTICAL LIFT SPAN**  
 LIVE LOAD H20-S16-44  
 28'-0" ROADWAY 5'-0" SIDEWALKS  
 45'-0" LIFT OPEN STEEL GRID FLOOR  
 FEB. 18 56

STATE OF LOUISIANA  
 DEPARTMENT OF HIGHWAYS  
 KUZEL, KUZEL, Brown, A. Chapman, KUZEL  
 BRIDGE DESIGN SECTION

92457 TRUNION BEARING HOUSING  
 DATE: 1/18/56  
 REVISIONS:












136

STATE PROJECT	PARISH	SHEET
LA 0616	Lafayette	46



**NOTE:**  
 THE CONTRACTOR SHALL DETERMINE THE FINAL DIMENSIONS OF PARTS INVOLVING COMMERCIAL PRODUCTS SUCH AS MOTORS, SPEED REDUCERS, BEARINGS, ELECTRICAL EQUIPMENT AND THE LIKE, FROM CERTIFIED DIMENSIONS OUTLINES OF THE COMMERCIAL PRODUCTS BEFORE MAKING SHOP DRAWINGS OF THE PARTS INVOLVED.  
 ALL UNFINISHED SURFACES OF MACHINERY SHALL BE PAINTED ONE SHOP COAT OF RED LEAD AND OIL.  
 ALL FINISHED SURFACES SHALL BE COATED WITH WHITE LEAD AND TALLOW BEFORE SHIPMENT AND SHALL BE PROTECTED BY WOODEN LAGGING.  
 UNLESS OTHERWISE SHOWN ON DETAIL DRAWING LUBRICANT SHALL BE AS FOLLOWS OR APPROVED EQUAL:  
 PILLION BLOCKS, COUPLINGS & TRUNION BEARINGS- ESSO FIBRE GREASE "C"  
 EXPOSED TEETH- MEDIUM HARD GREASE.  
 ENCLOSED SPEED REDUCERS- STD. OIL "TERESSO G5" VISC SAE 30.  
 WIRE ROPE- STD. OIL CO. SURRETTE COMPOUND N° 100.

*Handwritten signature:* J. W. Kuzel

ASSEMBLY OF SPAN LOCK

**M8**

<b>STANDARD PLAN</b> <b>150' VERTICAL LIFT SPAN</b> LIVE LOAD H20-S16-44 28'-0" ROADWAY 5'-0" SIDEWALKS 45'-0" LIFT OPEN STEEL GRID FLOOR DATED MAY 1 1957		
STATE OF LOUISIANA DEPARTMENT OF HIGHWAYS		
DESIGNED <i>Kuzel</i>	DETAILED <i>Kuzel</i>	TRACED <i>A. Chapman</i>
CHECKED <i>Brewer</i>	CHECKED <i>Brewer</i>	TRACED <i>Brewer</i>
BRIDGE DESIGN SECTION		

DATE	DESCRIPTION
	REVISIONS

SHEET 22 OF 26

SL50-150-28





137

**BILL OF MATERIAL FOR ONE SPAN LOCK**

ITEM	QUANTITY	DESCRIPTION	MATERIAL
1	1	SUPPORT FOR LOCK ASSY	STEEL WELLM
11	1	10" W/ 21" - 23 1/2" LONG	STEEL
12	1	10" X 3/8" - 1 1/2" LONG	STEEL
13	1	1/2" X 2 1/2" - 1 1/2" LONG	STEEL
2	1	BASE PLATE	STEEL
3	1	PISTON	STEEL
4	2	PISTON BEARING	316 ST/OT COMP
5	1	RACK	STEEL C/I
6	1	RACK EXTENSION	STEEL
7	1	RACK HOUSING	C.I.
8	2	SOCKET ON LOCK	STEEL
9	2	LIMIT SWITCH ACTUATOR COMP.	BRASS
10	1	1/2" PIN - 1 1/2" LONG	STEEL
11	1	1/2" PIN - 1 1/2" LONG	STEEL
12	3	1/2" - 1/8" MC. MACH. BOLT - 1 1/2" LONG	STEEL
13	1	1/2" - 1/8" MC. MACH. BOLT - 1 1/2" LONG	STEEL
14	3	BEVEL WASHER	COMP
15	4	1/2" - 1/8" MC. STD. NUT	STEEL
16	4	1/2" SHAKENPROOF LOCKWASHER	COMP
17	4	1/2" - 1/8" MC. MACH. BOLT - 2 1/2" LONG	STEEL
18	4	1/2" - 1/8" MC. STD. NUT	STEEL
19	4	1/2" SHAKENPROOF LOCKWASHER	COMP
20	2	1/2" - 1/8" MC. MACH. BOLT - 2 1/2" LONG	STEEL
21	2	1/2" - 1/8" MC. STD. NUT	STEEL
22	2	BEVEL WASHER	COMP
23	2	SHAKENPROOF LOCKWASHER	COMP
24	3	1/2" - 1/8" MC. MACH. BOLT - 2 1/2" LONG	STEEL
25	3	1/2" - 1/8" MC. STD. NUT	STEEL
26	3	SHAKENPROOF LOCKWASHER	COMP
27	6	1/2" - 1/8" MC. MACH. BOLT - 1 1/2" LONG	STEEL
28	6	1/2" SHAKENPROOF LOCKWASHER	COMP
29	4	1/2" - 1/8" MC. MACH. BOLT - 1 1/2" LONG	STEEL
30	4	1/2" SHAKENPROOF LOCKWASHER	COMP
31	1	COUPLING - MORSE DISC # 8 - 1/8"	COMP
32	1	1/2" SQ KEY - 1 1/2" LONG	STEEL KEYSTOCK
33	6	SPACER	BRASS
34	1	1/2" ALUMITE PIPER FITTING	COMP
35	1	MASTER ELECTRIC UNIT FR 200 MC 2400 IN LBS TORQUE 1/2" HP - OUTPUT SHFT 3 RPM	
36	1	SOCKET ON SPAN	STAINLESS GRD 303
37	4	TURNED BOLT COMP	STEEL

FOUR LOCKS REQUIRED FOR ONE SPAN  
TWO LOCKS AS SHOWN  
TWO LOCKS TO OPPOSITE HAND

**GENERAL NOTES:**  
ALL PARTS FURNISHED BY THE CONTRACTOR SHALL BE AS SHOWN OR APPROVED EQUAL.  
ALL PARTS LISTED ON THIS SHEET TO BE INCLUDED IN ITEM 5-B 1 MOVABLE BRIDGE MACHINERY, INCLUDING ALL NECESSARY SHIMS.  
ALL BOLTS TO HAVE ONE NUT AND ONE HEAVY SAE LOCKWASHER, UNLESS NOTED, OR OTHER MEANS OF LOCKING NOT ARE SHOWN ON DETAILS.  
THE CONTRACTOR SHALL DETERMINE THE FINAL DIMENSIONS OF PARTS INVOLVING COMMERCIAL PRODUCTS SUCH AS PUMPS, SPEED REDUCERS, BEARINGS, ELECTRICAL EQUIPMENT AND THE LIKE, FROM CERTIFIED DIMENSIONS OUTLINES OF THE COMMERCIAL PRODUCTS BEFORE MAKING SHOP DRAWING OF THE PARTS INVOLVED.

*[Handwritten Signature]*

**M9**



**DETAIL OF SPAN LOCK**

**STANDARD PLAN**  
**150' VERTICAL LIFT SPAN**  
LIVE LOAD H20-S16-44  
28'-0" ROADWAY 5'-0" SIDEWALKS  
45'-0" LIFT OPEN STEEL GRID FLOOR  
DATE: May 1 - 57

STATE OF LOUISIANA  
DEPARTMENT OF HIGHWAYS

Ruzel Brewer  
Ruzel Brewer  
Brewer


BRIDGE DESIGN SECTION





138

STATE PROJECT	PARISH	SHEET NO.
68-00-16	Lafourche	48



NOTE:  
Maximum travel of Span 60'-0"  
as shown on this drawing. Normal  
travel is 45'-0".

NOTES:  
Counterweight Ropes to be 1 1/2" diameter G-25  
filler wire improved plow steel wire rope with  
fiber core, having a minimum breaking strength  
of 209,000 Lbs. The Ropes shall be measured  
after the attachment of the sockets under a  
tension of 25,100 Lbs., and the Fabricated Length  
of each rope, top to top of sockets shall be stamped  
on each socket. Suitable shims shall be provided  
in the event that the Fabricated Lengths of the  
Ropes vary from the Lengths shown. The Rope  
Number shall be stamped on each socket and on  
the Counterweight and Lift Span lifting points.  
Wire Ropes, Sockets, Spacer Blocks and Tie  
Rods to be included in them S-5-1, Movable Bridge  
Machinery.

Length of Counterweight Ropes  
measured from top of socket  
to top of socket.  
Rope NR 1 or NR 4 (102'-7 1/2")  
Rope NR 2 or NR 3 (106'-7 1/2")

*[Handwritten signature]*

ARRANGEMENT OF COUNTERWEIGHT ROPES **MIO**

**STANDARD PLAN**  
**150' VERTICAL LIFT SPAN**  
LIVE LOAD H20-S16-44  
28'-0" ROADWAY 5'-0" SIDEWALKS  
45'-0" LIFT OPEN STEEL GRID FLOOR  
DATE: April 17, 1957

STATE OF LOUISIANA  
DEPARTMENT OF HIGHWAYS

DESIGNED: *[Signature]* CHECKED: S.L.P.  
DETAILED: *[Signature]* CHECKED: S.L.P.  
TRACED: *[Signature]* CHECKED: S.L.P.

BRIDGE DESIGN SECTION

DATE	DESCRIPTION	REVISIONS

SHEET 24 OF 26



SL50-150-28





139

STATE PROJECT	PARISH	SHEET
68-06-1G	Labouchere	49



NOTE:  
FOR GEAR MOTOR - SEE ITEM 305, SHEET 49

THICKNESS	5"	6"	8"
ONE SIDE	1	2	4
BOTH SIDES	2	4	8

NOTE:  
THE CONTRACTOR SHALL DETERMINE THE FINAL DIMENSIONS OF PARTS INVOLVING COMMERCIAL PRODUCTS SUCH AS MOTORS, SPEED REDUCERS, GEARS, ELECTRIC EQUIPMENT AND THE LIFT FROM CERTIFIED DIMENSIONS OF THE COMMERCIAL PRODUCTS BEFORE MAKING SHOP DRAWINGS OF THE PARTS INVOLVED.

PAINTING NOTE:  
ALL UNFINISHED SURFACES OF MACHINERY SHALL BE PAINTED ONE SHOP COAT OF RED LEAD AND OIL. ALL FINISHED SURFACES SHALL BE COATED WITH WHITE LEAD AND TALLOW BEFORE SHIPMENT AND SHALL BE PROTECTED BY WOODEN LAGGING.

LUBRICATION NOTE:  
UNLESS OTHERWISE SHOWN ON DETAIL DRAWING, LUBRICANT SHALL BE AS FOLLOWS OR APPROVED EQUAL:  
PILLOW BLOCKS, COUPLINGS, & TRUNION BEARINGS - ESSO FIBRE GREASE "C".  
EXPOSED TEETH - MEDIUM HARD GREASE.  
ENCLOSED SPEED REDUCERS - STD. OIL "TEXRESSO 05" VISC. SAE 30.  
WIRE ROPE - STD. OIL CO. SURRETTE COMPOUND N11530.

*Handwritten signature*

GENERAL ARRANGEMENT OF TRAFFIC BARRIER

B1

STANDARD PLAN  
150' VERTICAL LIFT SPAN  
LIVE LOAD H20-S16-44  
28'-0" ROADWAY 8'-0" SIDEWALKS  
45'-0" LIFT OPEN STEEL GRID FLOOR  
DATE MAY 1 1957

STATE OF LOUISIANA  
DEPARTMENT OF HIGHWAYS

DESIGNED	BY	TRACED BY
Checked Brewer	Checked RUSEL	Checked Brewer

BRIDGE DESIGN SECTION

DATE DESCRIPTION REVISIONS BY

SHEET 25 OF 26

SL50-150-28








Job No. \_\_\_\_\_ Sheet \_\_\_\_\_ of \_\_\_\_\_

Job Name 000930

Task Rail Details

Calculated by \_\_\_\_\_ Date \_\_\_\_\_

Checked by \_\_\_\_\_ Date \_\_\_\_\_








Job No. \_\_\_\_\_ Sheet \_\_\_\_\_ of \_\_\_\_\_

Job Name 000930

Task Rail Details

Calculated by \_\_\_\_\_ Date \_\_\_\_\_

Checked by \_\_\_\_\_ Date \_\_\_\_\_







Job No. \_\_\_\_\_ Sheet \_\_\_\_\_ of \_\_\_\_\_


Job Name 000930

Task Rail Details

Calculated by \_\_\_\_\_ Date \_\_\_\_\_

Checked by \_\_\_\_\_ Date \_\_\_\_\_

Bayou








Job No. \_\_\_\_\_ Sheet \_\_\_\_\_ of \_\_\_\_\_

Job Name 000930

Task Equipment Room

Calculated by \_\_\_\_\_ Date \_\_\_\_\_

Checked by \_\_\_\_\_ Date \_\_\_\_\_








Job No. \_\_\_\_\_ Sheet \_\_\_\_\_ of \_\_\_\_\_

Job Name 000930

Task Equipment Room Roof Beams

Calculated by \_\_\_\_\_ Date \_\_\_\_\_

Checked by \_\_\_\_\_ Date \_\_\_\_\_











109

DATE	REVISION	BY
05-08-57	1	W. J. ...
05-08-57	2	W. J. ...

000930  
Sheet 2 of 4



55.29  
*W. J. ...*

ALL PLACES TO BE REMOVED:  
As noted above, 12' (at least) of  
2" x 8" of Timber Truss Approach Spans  
1.0' x 1.0' and 1.0' x 1.0' Timber Posts  
1.0' x 1.0' and 1.0' x 1.0' Posts  
1.0' x 1.0' Posts

Remove Material and Soil Under Barge  
in alignment to the Center Maintenance  
Members 1, 2, 3, 4  
Material of Existing Bridge to be put for  
reuse in 12' and 12' and 12' and 12' and  
material to be included in any item 5.

GENERAL BRIDGE PLAN  
INTRACASAL WATERWAY BRIDGE  
LOUISIANA  
LA. ROUTE 111

STATE OF LOUISIANA  
DEPARTMENT OF HIGHWAYS

DATE: 05-08-57  
DESIGNED BY: W. J. ...  
CHECKED BY: W. J. ...  
APPROVED BY: W. J. ...






113

See Detail

measure roadway, sidewalks, curbs and railings

000930 Sheet 3 of 4

DATE	REVISION	BY
07-20-52	440000	24



BAR SIZE	NO	LENGTH	TOTAL LENGTH	LOCATION
C	24	20'-5"	492'-0"	Span in slab
D	24	18'-7"	442'-8"	Slab & Sidewalk
N	24	8'-5"	204'-0"	Span in sidewalk
J	24	5'-5"	132'-0"	Span in sidewalk
K	24	5'-0"	120'-0"	Span in sidewalk
L	24	3'-0"	72'-0"	Span in sidewalk
M	24	2'-0"	48'-0"	Span in sidewalk
<b>TOTAL #4 BARS = 1080' - 11" = 1080 LBS</b>				
B	45	17'-0"	765'-0"	Span in slab
A	45	20'-0"	900'-0"	Span in slab
D	45	2'-0"	90'-0"	Span in slab
E	45	2'-0"	90'-0"	Span in slab
<b>TOTAL #5 BARS = 645' - 0" = 645 LBS</b>				
E	60	18'-7"	1122'-0"	Sidewalk curb
<b>TOTAL #6 BARS = 117' - 0" = 1170 LBS</b>				
A	24	20'-0"	480'-0"	Span in slab
<b>TOTAL #8 BARS = 670' - 0" = 670 LBS</b>				
<b>REINFORCING STEEL = 5175 3034 LBS</b>				
<b>CLASS II CONCRETE = 3106 3222 CU YDS</b>				
<b>PIPE HANDRAIL (SPAN 1, 2, 4, 10 &amp; 11) = 50.0 LINA. FT.</b>				
<b>CONC. HANDRAIL (SPAN 5 &amp; 8) = 35.5 LINA. FT.</b>				
<b>PIPE HANDRAIL (SPAN 5 &amp; 8) = 35.5 LINA. FT.</b>				

GENERAL NOTES:  
 CONSTRUCTION SPECIFICATIONS: Latest Approved La Dept of Highways Standard Specifications  
 DESIGN SPECIFICATIONS: A.L.S.H.O. 1953 3rd Edition for Highway Bridges, as amended to Dec. 31, 1955.  
 LIVE LOAD: HS-20-44  
 Reinforcement bars shall be furnished in round cross section, ASTM A15, or Hot Rolled, ASTM A10. Dimensions relating to reinforcing steel are to bar centers. Expanded Corrugation and its dimensions shall, unless otherwise noted, be as shown on drawings.  
 All Approved Expansion Material, Approved Fillers and Bar Pins to be included in price bid for concrete.

SPANS # 1, 2, 3, 4, 5, 9, 10 & 11

**INTRACOASTAL WATERWAY BRIDGE**  
 LOCKPORT  
 LA ROUTE # 1

DATED Feb. 12, 1957

STATE OF LOUISIANA  
 DEPARTMENT OF HIGHWAYS

DESIGNED BY	DRAWN BY	CHECKED BY
DATE	DESCRIPTION	BY

BRIDGE DESIGN SECTION









112

see notes on Sheet 3 of 6

000930  
Sheets of 5






DATE	NO.	BY
01-05-62	1474	28



**BILL OF MATERIAL (ONE SPAN)**

BAR	SIZE	NO.	LENGTH	TOTAL LENGTH	LOCATION
A	#8	24	27'-3"	654'-0"	Length in 2nd beam
B	#8	0	29'-4"	0'-0"	Length in 2nd beam
C	#8	0	30'-0"	0'-0"	Length in 2nd beam
D	#8	20	30'-0"	600'-0"	Perimeter of 2nd beam
E	#8	30	3'-3"	99'-0"	Top of 2nd beam
F	#8	50	3'-0"	150'-0"	Top of 2nd beam
G	#8	0	4'-10"	0'-0"	Length in 2nd beam
H	#8	0	3'-8"	0'-0"	Length in 2nd beam
I	#8	0	3'-8"	0'-0"	Length in 2nd beam
J	#8	0	3'-8"	0'-0"	Length in 2nd beam
K	#8	0	3'-8"	0'-0"	Length in 2nd beam
L	#8	0	3'-8"	0'-0"	Length in 2nd beam
M	#8	0	3'-8"	0'-0"	Length in 2nd beam
N	#8	0	3'-8"	0'-0"	Length in 2nd beam
O	#8	0	3'-8"	0'-0"	Length in 2nd beam
P	#8	0	3'-8"	0'-0"	Length in 2nd beam
Q	#8	0	3'-8"	0'-0"	Length in 2nd beam
R	#8	0	3'-8"	0'-0"	Length in 2nd beam
<b>TOTAL REINFORCEMENT STEEL = 2820' LBS</b>					<b>2820' LBS</b>
<b>TOTAL CLASS 30 CONCRETE = 422' CU YD</b>					<b>422' CU YD</b>
<b>REINFORCED CARBON STEEL = 577' LBS</b>					<b>577' LBS</b>
<b>CONCRETE MATERIAL = 4150' LBS</b>					<b>4150' LBS</b>
<b>PIPE MATERIAL = 45.50' LBS</b>					<b>45.50' LBS</b>

HALF SECTION THRU TOWER SPAN AT FRONT FLOOR BEAM SHOWING TYPICAL JOIST AND MANUAL DIMENSIONS



**TOWER SPAN**

STANDARD PLAN  
150' VERTICAL LIFT SPAN  
LIVE LOAD H20-S16-44  
28'-0" ROADWAY  
45'-0" LIFT  
5'-0" SIDEWALKS  
OPEN STEEL GRID FLOOR  
DATED APR. 20, 1957


STATE OF LOUISIANA  
DEPARTMENT OF HIGHWAYS

DESIGNED	DATE	BY
CHECKED	DATE	BY

BRIDGE DESIGN SECTION



000930  
Sheet 6 of 17



THICKNESS AND NO. OF SKINS TO BE FURNISHED

THICKNESS	NO. OF SKINS	NO. OF SKINS	NO. OF SKINS
1/2"	2	2	2
3/4"	4	2	4
1"	6	5	5

*check/measure whatever you can safely get to; take photos*

NOTE:  
THE CONTRACTOR SHALL DETERMINE THE FINAL DIMENSIONS OF PARTS PURSUING COMMERCIAL PRODUCTS SUCH AS PULLEY, SPEED REDUCERS, GEARING, ELECTRICAL EQUIPMENT AND BE LINE FROM CERTIFIED DIMENSIONAL GUIDELINES OF THE MANUFACTURER BEFORE MAKING SHOP DRAWINGS OF THE PARTS INVOLVED.

ASSEMBLY NOTE:  
ALL UNFINISHED SURFACES OF MACHINERY SHALL BE PAINTED ONE COAT OF RED LEAD AND OIL. ALL FINISHED SURFACES SHALL BE COATED WITH WHITE LEAD AND ZINC DUST BEFORE SHIPMENT AND SHALL BE INSPECTED BY MOODY L. ARBORE.

LUBRICATION NOTE:  
UNLESS OTHERWISE SHOWN ON DETAIL DRAWINGS LUBRICANTS SHALL BE AS FOLLOWS OR APPROVED EQUAL:  
PULLEY BLOCKS, GEARINGS & PULLEY BEARINGS - 2330 FEET GRADE "0"  
EXPOSED TEETH - MEDIUM HARD OIL  
ENVELOPED SPEED REDUCERS - 310 OIL TEMPS 81" VISC 346 SAE 90  
MISC OILS - STD. OIL CO. JARLITE COMPOUND #1100

MI

GENERAL ARRANGEMENT OF SPAN OPERATING MACHINERY

STANDARD PLAN  
150' VERTICAL LIFT SPAN  
LIVE LOAD H20-S16-44  
28'-0" ROADWAY 8'-0" SIDEWALKS  
48'-0" LIFT OPEN STEEL 2ND FLOOR  
DATE - APRIL 25, 1977


STATE OF LOUISIANA  
DEPARTMENT OF HIGHWAYS

DESIGNED BY: [Signature] CHECKED BY: [Signature] DATE: [Signature]

BRIDGE DESIGN SECTION



000930  
Sheet 7 of 17



FRONT ELEVATION

SECTIONAL SOUTH ELEVATION  
LOOKING SOUTH

SECTIONAL WEST ELEVATION  
LOOKING WEST

NORTH ELEVATION

**SOUTH TOWER ELEVATIONS**


STATE OF LOUISIANA, LA 2-281(1) - 2-281(2)

ORLEANS MATERIALS & EQUIPMENT CO., INC.  
NEW ORLEANS, LA.

PROJECT	STRUCTURE, INTERMEDIATE DECKWAY, BRIDGE		
NO.	DATE	REV.	DESCRIPTION
1	1-15-58	1	LOCATION - LAKE CHARLES, LOUISIANA
2	1-15-58	2	ARCHITECT - LOUISIANA BRIDGE ENGINEERS
3	1-15-58	3	CONTRACTOR - ANDRUS BRIDGE CO.
4	1-15-58	4	DETAIL OF BRIDGE PILES - TOWER LEGS
5	1-15-58	5	FRONT
6	1-15-58	6	SECTIONAL SOUTH
7	1-15-58	7	SECTIONAL WEST
8	1-15-58	8	NORTH
9	1-15-58	9	DETAILS
10	1-15-58	10	GENERAL NOTES
11	1-15-58	11	FIELD NOTES
12	1-15-58	12	CONTRACT NOTES
13	1-15-58	13	CONTRACTOR'S NOTES
14	1-15-58	14	CONTRACTOR'S FIELD NOTES
15	1-15-58	15	CONTRACTOR'S FIELD NOTES
16	1-15-58	16	CONTRACTOR'S FIELD NOTES
17	1-15-58	17	CONTRACTOR'S FIELD NOTES
18	1-15-58	18	CONTRACTOR'S FIELD NOTES
19	1-15-58	19	CONTRACTOR'S FIELD NOTES
20	1-15-58	20	CONTRACTOR'S FIELD NOTES



000930  
Sheet 8 of 17



**NORTH TOWER ELEVATIONS**

GENERAL NOTES:  
 SHOP DRAWINGS - See the shop drawings for details.  
 FIELD WORK - See the field notes for details.  
 ALL work to be fabricated at the shop.  
 STATE PROJ. No. 98-08-18 Add'l Section (Sheet No. 8-1702)

**ORLEANS MATERIALS & EQUIPMENT CO. INC.**  
 NEW ORLEANS, LA.

NO.	DATE	DESCRIPTION	BY	CHECKED BY
1	7-10-88	ISSUED FOR CONSTRUCTION	[Signature]	[Signature]
2				
3				
4				
5				







No Vehicle Hits

000930  
Sheet 9 of 17

DESIGNED BY	APPROVED BY	SHEET NO.
C. P. GUY	Lafayette	29

118



**SURFACE FINISHES:**  
 All steel surfaces to have A.S.A. No. 16  
 Anchor bolts and parts in contact with  
 concrete to have A.S.A. No. 16  
 Base of columns and bearing plates to  
 have A.S.A. No. 16

*[Handwritten signature]*

DATE	DESCRIPTION	BY

**TOWER DETAILS**

**STANDARD PLAN  
150' VERTICAL LIFT SPAN**  
 LIVE LOAD H20-S16-44  
 28'-0" ROADWAY  
 48'-0" LIFT  
 5'-0" SIDEWALKS  
 OPEN STEEL GRID FLOOR

DATE: APRIL 22, 1957

STATE OF LOUISIANA  
DEPARTMENT OF HIGHWAYS

DESIGNED BY	DETAILED BY	TRACED BY
CHECKED S.P.G.	CHECKED S.P.G.	CHECKED S.P.G.


BRIDGE DESIGN SECTION



119


000930  
Sheet 10 of 17

DATE	BY	CHKD	APP'D
12-1-66	W. J. ...	...	...




HALF ELEVATION AT REAR OF TOWER

HALF ELEVATION AT FRONT OF TOWER



SIDE ELEVATION



SECTION THRU TYPICAL OPTIONAL COLUMN SPICE

NOTE: SEE SHEET N° 7 OF 26 FOR SECTION B-B, C-C, D-D, E-E AND F-F

*[Handwritten Signature]*

DATE: APRIL 28, 1967

REVISIONS:

**TOWER DETAILS**

STANDARD PLAN  
160' VERTICAL LIFT SPAN  
LIVE LOAD H20-S16-44  
28'-0" ROADWAY 8'-0" SIDEWALKS  
48'-0" LIFT OPEN STEEL GRID FLOOR

STATE OF LOUISIANA  
DEPARTMENT OF HIGHWAYS

BRIDGE DESIGN SECTION




121


DESIGNED	BY	DATE
TRACED	BY	DATE
CHECKED	BY	DATE
APPROVED	BY	DATE

000930  
Sheet 11 of 17


**NOTES FOR STAIRWAYS & LANDINGS:**  
 Provide all stairways, landings and stairs with 12 # 20's unless otherwise shown. Provide 1/2" x 1/2" x 1/2" steel angles for handrails. Provide 1/2" x 1/2" x 1/2" steel angles for nosing. Provide 1/2" x 1/2" x 1/2" steel angles for toe boards. Provide 1/2" x 1/2" x 1/2" steel angles for stringers. Provide 1/2" x 1/2" x 1/2" steel angles for treads. Provide 1/2" x 1/2" x 1/2" steel angles for risers. Provide 1/2" x 1/2" x 1/2" steel angles for nosing. Provide 1/2" x 1/2" x 1/2" steel angles for toe boards. Provide 1/2" x 1/2" x 1/2" steel angles for stringers. Provide 1/2" x 1/2" x 1/2" steel angles for treads. Provide 1/2" x 1/2" x 1/2" steel angles for risers.




PLAN LANDING AT OPERATOR'S HOUSE




SECTION B-B




SECTION D-D




TYPICAL BRACKET DETAIL AT INTERMEDIATE LANDINGS




TYPICAL CORNER DETAIL IS TO BRACKING




SECTION E-E




SIDE ELEVATION




REAR ELEVATION




VIEW A-A PLAN AT TOWER STAIR DETAIL



DETAIL OF TREAD SPACING



PLAN LANDING AT TRUCK HOUSE



LADDER DETAIL

TOWER STAIRWAY DETAILS

STANDARD PLAN 180' VERTICAL LIFT SPAN LIVE LOAD H20-S16-44		
28'-0" ROADWAY 65'-0" LIFT 8'-0" SIDEWALKS OPEN STEEL GRID FLOOR		
DATED MAY 24, 1957		
STATE OF LOUISIANA DEPARTMENT OF HIGHWAYS		
DESIGNED	TRACED	BY
CHECKED	BY	DATE
BRIDGE DESIGN SECTION		













126

000930  
Sheet 14 of 17

DATE	BY	CHKD
04-00-15	Lafayette	36




PLAN  
SHOWING MAIN ENTRANCE LOCATION AND STRUCTURAL STEEL LOCATION  
SCALE: 1/4" = 1'-0"




FLOOR PLAN  
SCALE: 1/4" = 1'-0"

NOTE:  
All aluminum surfaces to be placed in contact with, or adjacent to, steel members shall be thoroughly coated with an approved aluminum impregnated caulking compound. All aluminum surfaces to be placed in contact with concrete shall be given a heavy coat of an approved alkali resistant bituminous paint, or a coat of zinc chromate paint, and allowed to dry before placing on the concrete.



ROOF PLAN  
SCALE: 1/4" = 1'-0"



SECTION A-A  
SCALE: 1/4" = 1'-0"

MARK	SIZE	TYPE	STYLE	REMARKS
1	5'-6" x 7'-0" x 1 1/2"	Subsidiary	4 1/2" Glass	Aluminum Frame
2	2'-0" x 6'-6" x 1 1/2"	Flush	Steel	Steel Metal Frame
3	7'-0" x 6'-6" x 1 1/2"	Flush	Steel	Steel Metal Frame
4	5'-0" x 5'-1 1/2"	Subsidiary	6 1/2" Glass	Aluminum Frame CBS-12
5	1'-8" x 2'-2"	Subsidiary	6 1/2" Glass	Aluminum Frame CBS-12

ITEM	WALLS		CEILING	FLOOR	BASE	TRIM	ROOF	MEMBER
	OUTSIDE	INSIDE						
Walls	Adobe	1/2" x Master	Master	Tile	Tile	Master	Br (2" x 4" @ 16" o.c.)	2" x 4" @ 16" o.c.
Tile	-	1/2" x Master	Master	Tile	Tile	Master	-	2" x 4" @ 16" o.c.
Cabinets	Master	1/2" x Master	Master	Tile	-	Master	-	-

OPERATING HOUSE

STANDARD PLAN  
150' VERTICAL LIFT SPAN  
LIVE LOAD H20-S16-44  
28'-0" ROADWAY 5'-0" SIDEWALKS  
45'-0" LIFT OPEN STEEL GRID FLOOR  
DATED May 13 1957

STATE OF LOUISIANA  
DEPARTMENT OF HIGHWAYS


DESIGNED BY: [Signature]  
CHECKED BY: [Signature]  
TRACED BY: [Signature]

BRIDGE DESIGN SECTION




127

SCALE: 1/8" = 1'-0" SHEET 37




FRONT ELEVATION  
SCALE: 1/8" = 1'-0"




SIDE ELEVATION  
SCALE: 1/8" = 1'-0"


000930  
Sheet 15 of 17



REAR ELEVATION  
SCALE: 1/8" = 1'-0"




SIDE ELEVATION  
SCALE: 1/8" = 1'-0"




HALF FRONT ELEVATION  
SHOWING REINFORCING  
SCALE: 1/8" = 1'-0"

HALF REAR ELEVATION  
SHOWING REINFORCING  
SCALE: 1/8" = 1'-0"



SECTION B-B  
SCALE: 1/8" = 1'-0"



ANCHOR DETAILS  
FOR  
EXTERIOR BEAMS

*[Handwritten signature]*

OPERATING HOUSE

STANDARD PLAN 180' VERTICAL LIFT SPAN LIVE LOAD H20-S16-44 28'-0" ROADWAY 45'-0" LIFT 5'-0" SIDEWALKS OPEN STEEL GRID FLOOR DATE: May 13, 1957		
STATE OF LOUISIANA DEPARTMENT OF HIGHWAYS		
DESIGNED <i>[Signature]</i>	DETAILED <i>[Signature]</i>	TRACED <i>[Signature]</i>
CHECKED <i>[Signature]</i>	CHECKED <i>[Signature]</i>	CHECKED <i>[Signature]</i>
BRIDGE DESIGN SECTION		


DATE	DESCRIPTION	BY



130

000930  
Sheet 16 of 17

DESIGNED	BY	SHEET
000930	LA-32	16



GENERAL ARRANGEMENT OF BRIDGE MACHINERY ON ONE SIDE OF THE SPAN (DNE # M1)

SECTION 'A'-'B'

**NOTE:**  
FOR REMOVING PINION SHAFT  
REMOVE CAPS, BEARINGS AND  
BRASS SEALS FROM BOTH ENDS  
OF THE ASSEMBLY.  
POINT THE PINION SPACER  
NEAREST THE COUPLER END OF THE  
SHAFT UNTIL ITS KEY SLOT IS IN  
LINE WITH THE KEY SLOT IN  
THE BORE OF THE HOUSING.  
ROTATE THE SHAFT UNTIL THE KEYS  
ARE STRAIGHT DOWN. LIFT IT UPWARD  
AGAINST THE TOP OF THE BORE AND  
PRESS IT OUT IN THE DIRECTION OF  
THE COUPLER END.

**NOTE:**  
THE CONTRACTOR SHALL DETERMINE THE FINAL DIMENSIONS  
OF PARTS INVOLVING COMMERCIAL PRODUCTS SUCH AS  
MOTORS, SPEED REDUCERS, BEARINGS, ELECTRICAL EQUIPMENT  
AND THE LIKE, FROM CERTIFIED DIMENSIONS OUTLINES OF THE  
COMMERCIAL PRODUCTS BEFORE MAKING SHOP DRAWINGS  
OF THE PARTS INVOLVED.  
UNLESS OTHERWISE SHOWN ON DETAIL DRAWINGS LUBRICANT  
SHALL BE AS FOLLOWS OR APPROVED EQUAL:  
PINION BLOCS, COUPLERS & TRUNION BEARINGS-ESSO FIRE GREASE "C"  
EXPOSED TEETH-MEDIUM HARD GREASE  
ENCLOSED SPEED REDUCERS-STD. OIL "TERESSO 65" VISC SAE 50  
WIRE ROPES-STD. OIL CO. SURRETTE COMPLING N71500.  
ALL UNFINISHED SURFACES OF MACHINERY SHALL BE  
PAINTED ONE SHOP COAT OF RED LEAD AND OIL.  
ALL FINISHED SURFACES SHALL BE COATED WITH  
WHITE LEAD AND TALLOW BEFORE SHIPMENT AND  
SHALL BE PROTECTED BY WOODEN LAGERS.

*Handwritten signature*

ASSEMBLY OF GEAR TRAIN FOR SHEAVE **M2**

STANDARD PLAN  
150' VERTICAL LIFT SPAN  
LIVE LOAD H20-S16-44  
28'-0" ROADWAY 6'-0" SIDEWALKS  
45'-0" LIFT OPEN STEEL GRID FLOOR  
DATED FEB. 22 1957

STATE OF LOUISIANA  
DEPARTMENT OF HIGHWAYS  
DESIGNED *Russell* CHECKED *Brewer* TRAGED *O. Chilton*  
CHECKED *Brewer* CHECKED *Brewer* CHECKED *Brewer*  
BRIDGE DESIGN SECTION


DATE	DESCRIPTION	BY
	REVISIONS	



138

DATE	PROJECT	ARCH	SHEET
04-03-78	Laboure		48

000930  
Sheet 17 of 17



NOTE:  
Maximum travel of Sheave 65'-0"  
as shown on this drawing. Normal  
travel is 45'-0".

NOTES:  
Counterweight Ropes to be 1/2" diameter 6-25  
filler wire improved plain steel wire rope with  
fiber core having a minimum breaking strength  
of 60,000 lbs. The Ropes shall be measured  
after the attachment of the sockets under a  
tension of 25,000 lbs. and the fabricated length  
of each rope less the loss of sockets shall be stamped  
on each socket. Suitable Shims shall be provided  
in the event that the fabricated lengths of the  
Ropes vary from the lengths shown. The Rope  
Number shall be stamped on each socket and on  
the Counterweight and Lift Span lifting points.  
Wire Ropes, Sockets, Shear Blocks and 2'-0" Tie  
Rods to be included in Item 6-6-1, Movable Bridge  
Machinery.

Length of Counterweight Ropes  
measured from top of socket  
to top of socket.  
Rope No 1 or No 2 (100'-7 1/2")  
Rope No 3 or No 4 (100'-7 1/2")

*M. Mahan*

ARRANGEMENT OF COUNTERWEIGHT ROPES **MIO**

STANDARD PLAN  
150' VERTICAL LIFT SPAN  
LIVE LOAD H20-S16-44  
26'-0" ROADWAY 5'-0" SIDEWALKS  
45'-0" LIFT OPEN STEEL GRID FLOOR  
DATE April 17, 1987

STATE OF LOUISIANA  
DEPARTMENT OF HIGHWAYS



DESIGNED BY	DRAWN BY	CHECKED BY
FUELLER, S.L.P.	CHERRY, S.L.P.	CHERRY, S.L.P.

BRIDGE DESIGN SECTION



139

DESIGNED	APPROVED	DATE
ROSE	BRUNER	4-10



PART SIDE ELEVATION OF TOWER SHOWING BARRIER

PART REAR ELEVATION OF TOWER SHOWING BARRIER OPERATING MACHINERY

NOTE:  
THE CONTRACTOR SHALL DETERMINE THE FINAL DIMENSIONS OF PARTS AND FINISH CONSTRUCTION PRODUCTS SUCH AS WELLS, SPEED REDUCERS, BEARINGS, ELECTRICAL EQUIPMENT AND THE LIKE, FROM LISTED DIMENSIONS OUTLINES OF THE COMMERCIAL PRODUCTS BEFORE MAKING SHOP DRAWINGS OF THE PARTS INVOLVED.

PAINTING NOTE:  
ALL UNPAINTED SURFACES OF STRUCTURE SHALL BE PAINTED ONE SHOP COAT OF RED LEAD AND OIL. ALL FINISHED SURFACES SHALL BE COATED WITH WHITE LEAD AND BLENDED BEFORE SHIPMENT AND SHALL BE PROTECTED BY IMPERIAL LAMINATE.

LUBRICATION NOTE:  
UNLESS OTHERWISE SHOWN ON DETAIL, BEARING LUBRICANT SHALL BE AS FOLLOWS OR APPROVED EQUAL:  
FOLLOW BLOCKS, COLLARS, & ROLLER BEARINGS - 2330 PEAR OIL  
EXPOSED TIE-IN - MEDIUM PAID OIL  
ENCLOSED SPEED REDUCERS - STD. OIL "TRASSID 61" VISC SAE 30  
WIRE ROPE - STD. OIL OR SYNTHETIC COMPOUND N1100

FINISHES	5	6	7
BASE	1	2	3
ADDITIONAL	4	5	6

*H. D. Bruner*

GENERAL ARRANGEMENT OF TRAFFIC BARRIER

BI

**STANDARD PLAN  
150' VERTICAL LIFT SPAN**  
LIVE LOAD H20-S16-44  
28'-0" ROADWAY 8'-0" SIDEWALKS  
48'-0" LIFT OPEN STEEL GRID FLOOR

DATE: MAY 1 1927

STATE OF LOUISIANA  
DEPARTMENT OF HIGHWAYS

DESIGNED	BY	TRAFFIC ENGINEER
ROSE	BRUNER	
CHECKED	BY	CHECKED
BRUNER	KUHL	BRUNER

BRIDGE DESIGN SECTION

DATE	REVISIONS	BY