

SECTION 719 LANDSCAPING

MATERIAL		REFERENCE	PURP.	SAMPLED BY	MIN. FREQ.	MIN. QUANT.	CERT.	SMALL QUANTITY	TYPICAL HANDLING TIME	REMARKS
		TESTED BY		METHOD		CONTAINER	DISTR.			
AGRICULTURAL LIME		719.02 1018.17 Mat. Lab	Accept.	SEE SECTION 718 OF THIS MANUAL.						
BACKFILL SOIL	Coarse Sand, Manure, Pine Bark & Topsoil	719.02(c) Proj. Engr.	Accept.	-----	-----	-----	-----	-----	-----	Visual inspection by Proj. Engr. of all ingredients prior to mixing.
FERTILIZER		719.02 1018.16 Proj. Engr.	Accept.	SEE SECTION 718 OF THIS MANUAL.						
MANURE		719.02(a) Proj. Engr.	Accept.	Proj. Engr.	-----	-----	-----	-----	-----	Visual inspection by Proj. Engr.
MULCHING	Other Materials	719.02 Proj. Engr.	Accept.	Proj. Engr. S 601	1/source*	3 full sample sacks	-----	-----	-----	*Visual inspection by Proj. Engr. Sample only if questionable.
	Pine Bark	719.02 Dist. Lab	Accept.	Proj. Engr. S 601	1/source*	3 full sample sacks	-----	-----	-----	*Visual inspection by Proj. Engr. Sample only if questionable.
PLANTS	Contained	719.04(e) Landscape Architect	-----	Documented visual determination of specification compliance by DOTD Landscape Architect at nursery source. All plants shall be legibly tagged. Acceptance is based on inspection at the end of one full growing season.						
	Native Stock	719.04(e) Landscape Architect	-----	Documented visual determination of specification compliance by DOTD Landscape Architect at nursery source. All plants shall be legibly tagged. Acceptance is based on inspection at the end of one full growing season.						
SOIL	Planting Area	719.05(c) Dist. Lab	Accept.	Proj. Engr. S 601	1/planting area	1 full sample sack	-----	-----	10 days	-----
TOPSOIL		719.02(d) Dist. Lab	Accept.	Proj. Engr. S 601	1/source	1 full sample sack	-----	200 yd <sup>3</sup>	10 days	-----
WATER		719.02 719.05(i) Mat. Lab	Accept.	Proj. Engr. S 303	1/source*	1 qt Plastic bottle	-----	-----	11 days	*Drinkable water need not be sampled.

I-88 66/S 5/99