QUALIFIED PRODUCTS LIST 47 ***FOR INFORMATIONAL PURPOSES ONLY*** Exp

State of Louisiana Department of Transportation and Development

Qualified Products List 47

NON-SHRINK GROUT

(SMM Material Code, 1018M00850)

PRODUCT		WATER	
SOURCE		CONTENT	
CODE	PRODUCT	%	SOURCE
4765	Construction Grout	21	BASF Corporation
4766	Masterflow 555	17	889 Valley Park Drive
4767	Masterflow 928	15.7	Shakopee, MN 55379
			SMM: APS00002390
4745	Dro. Crowt 00	12 5	C.C.M. Inc.
4745	Pro-Grout 90	13.5	C. G. M., Inc.
4752	Pro-Grout 100	15.2	1445 Ford Road
			P. O. Box 413
			Bensalem, PA 19020
			SMM: APS0005480
4752		171	Construction Desine Comparation
4753	CRC Flo-Rite 8500 H. S. Precision Cement	17.1	Construction Resins Corporation
	Grout		2418 Ludelle Street
			Ft. Worth, TX 76105
			SMM: APS00005490
4773	Danid Sat Compant All	21.8	CTC Compart Manufacturing Company
4773	Rapid Set Cement All	21.8	CTS Cement Manufacturing Company 11065 Knott Avenue
			Suite A
			Cypress, CA 90630
			SMM: APS00002330
4737	Sure-Grip High Performance	15	Dayton Superior Corporation
4748	1107 Advantage Grout	15	636 South 66 th Terrace
4740		15	Kansas City, KS 66111
			SMM: APS00002350
			SMIN. AI 300002330
4751	NS Grout	16.7	The Euclid Chemical Company
			19218 Redwood Road
			Cleveland, OH 44110
			SMM: APS00002360
	1	1	5
4771	5-Star Grout	21	Five Star Products
			750 Commerce Drive
			Fairfield, CT 06825
			SMM:APS00005530
1			511111.1.1.500005550

PRODUCT		WATER	
SOURCE		CONTENT	
CODE	PRODUCT	%	SOURCE
4760	FX-227	13.5	Fox Industries, Inc.
			3100 Falls Cliff Road
			Baltimore, MD 21211
			SMM: APS00003250
4768		14.1	
	Hilti Multipurpose Grout Hilti Precision Grout	14.1	Hilti, Inc. 5400 S. 122 nd East Avenue
4769	Hill Precision Grout	10.7	
			Tulsa, OK 74146
			SMM: APS00003300
4770	SureGrout	16.3	Kaufman Products, Inc.
		10.0	3811 Curtis Avenue
			Baltimore, MD 21226
			SMM: APS00011100
			SIVINI. APS00011100
4717	Crystex	15	L & M Construction Chemicals, Inc.
4727	Duragrout	18	14851 Calhoun Road
			Omaha, NE 68152
			SMM: APS0002380
	1		
4757	Sika Grout 212	20	Sika Corporation
4758	Sika Grout 300 PT	26	1682 Marion Williamsport Road
4759	Sika Grout 328	17	Marion, OH 43302
			SMM: APS00005520
4761	SC Multipurpose Grout	14.5	SpecChem
			444-B Richmond Avenue
			Kansas City, KS 66101
			SMM: APS00004460
4740		12.0	
4742	Powergrout P	12.9	Sto Corporation
			Powercrete Division
			6175 Riverside Drive SW
			Atlanta, Ga 30331
			SMM: APS00002040
1772	Tammegrout Supromo	16	The Euclid Chemical Company
4772	Tammsgrout Supreme	10	The Euclid Chemical Company
			19218 Redwood Road
			Cleveland, OH 44110
			SMM: APS00002050
4775	Quikrete Non-Shrink Precision Grout #1585-00	17	The Quikrete Companies
		±′	500 Marathon Parkway
			Lawrenceville, GA 30046
			SMM: APS00005360

PRODUCT		WATER	
SOURCE		CONTENT	
CODE	PRODUCT	%	SOURCE
4755	Unigrout	13.5	Universal Form Clamp, Inc.
4756	Unigrout Super	15.6	840 South 25 th Avenue
			Bellwood, IL 60104
			SMM: APS00003160
4774	LIS Spec NA Crout	32.3	LIS Mix Company
	US Spec NA Grout		US Mix Company
4776	US Spec MP Grout	16.7	112 S. Santa Fe Drive
			Denver, CO 30223
4747	Certi-Grout #1000	16	Vexcon Chemicals
			7240 State Road
			Philadelphia, PA 19135
			SMM: APS00002070
4762	Soultight CC 96 (Construction Crode)	12 5	W/ D. Moodows of Toylog
4763	Sealtight CG-86 (Construction Grade)	13.5	W. R. Meadows of Texas
4764	Sealtight 588 Precision Grout	15	2555 N.E. 33 rd Street
			Fort Worth, TX 76111
			SMM: APS00002460

*Contains metallic aggregate

NOTE 1:

The products listed above are cementitious non-shrink grouts which require only the addition of water. These products are not intended to provide rapid strength gain.

The water content shown represents the amount of water by weight used in qualifying the product. This water content produces a grout having a flowable consistency and does not necessarily represent the manufacturer's recommended water content shown on the grout container. A non-shrink grout may lose its nonshrinkage characteristics at water contents exceeding the listed values.

NOTE 2:

•

All material, regardless of prior approval, shall be sampled in accordance with the Materials Sampling Manual and tested for conformance to the original specification. Any deviation in composition or performance from the original sample submitted may result in removal of the product from the qualified list.

No information contained in this list is to be used for promotional purposes.