

State of Louisiana
 Department of Transportation and Development

Qualified Products List 4

GASKET MATERIALS FOR CULVERT PIPE

PRODUCT SOURCE CODE	GASKET MATERIAL	TYPE OF JOINT	PRIMER & LUBRICANT	SOURCE
(A) FLEXIBLE PLASTIC <i>(SMM Material Code, 1006M08300)</i>				
0403	CS-102	1, 2	Concrete Sealant Primer	Concrete Sealants, Inc. 9325 State Rouge 201 Tipp City, OH 45371 <i>SMM: APS00001580</i>
0401	Kent-Seal No. 2	1, 2, 3	Kent Seal Primer	Hamilton Kent Manufacturing Co. 77 Carlingview Drive Toronto Ontario Canada M9W 5E6 <i>SMM: APS00001600</i>
0405	Ram-Nek	1, 2, 3	Ram-Nek Primer or *Ram-Nek Special Primer <i>(No primer required for round or arch pipe)</i>	Henry Company 1277 Boyles Street Houston, TX 77020 <i>SMM: APS00001610</i>
0439	Evergrip 990	1, 2, 3	Concrete Primer <i>(No primer required for round or arch pipe)</i>	Martin Asphalt Company, Inc. 300 Christy Place South Houston, TX 77587 <i>SMM: APS00010660</i>
*Ram-Nek Special Primer may be sprayed with approved spraying equipment. This equipment shall be capable of dispensing enough primer to sufficiently cover the pipe joints.				
(B) RUBBER <i>(SMM Material Code, 1006M08310)</i>				
0430	Tylox SuperSeal	1, 2, 3	None	Hamilton Kent Manufacturing Co. 77 Carlingview Drive Toronto Ontario Canada M9W 5E6 <i>SMM: APS00001600</i>

PRODUCT SOURCE CODE	GASKET MATERIAL	TYPE OF JOINT	PRIMER & LUBRICANT	SOURCE
(B) RUBBER (continued) <i>(SMM Material Code, 1006M08310)</i>				
0408	O-Ring	1, 2, 3	Press-Seal Lubricant (Water Dispersible)	Press-Seal Gasket Corporation 2424 West State Blvd. Fort Wayne, IN 46808
0422	Type 290-4F	1, 2, 3	Press-Seal Lubricant (Water Dispersible)	<i>SMM: APS00001710</i>
0446	Type 4G Profile	1, 2, 3	Press-Seal Lubricant (Water Dispersible)	
0445	Water Lok Gasket-use only with Eagle Corr PE bell/spigot pipe (Source Code 6618)	1, 2, 3	None Required	Spring Seal 9330 Market Square Drive Streetsboro, OH 44241 <i>SMM: APS00011010</i>
0435	IR/SBR Gasket - use only with Storm Seal bell/spigot pipe (Source Code 6611)	1, 2, 3	Water Dispersable spray	Quality Culvert, Inc. 25726 CR 561 P. O. Box 435 Astatula, FL 34705 <i>SMM: APS00000690</i>
0442	Delta Seal Profile Gasket	1, 2, 3	Water Dispersible	Rinker Materials Concrete Pipe Division 1627 Oakbrook Parkway Gainesville, GA 30507 <i>SMM: APS00010960</i>
0443	Bidco C-56 Joint Sealant	1, 2, 3	Adhesive primer if necessary	Trelleborg Pipe Seals Park Hills, Inc. P. O. Box 337 Park Hills, MO 63601 <i>SMM: APS00010940</i>
0447	Contech D-2000 (600 & 750 mm pipe) (24 & 30 in. pipe)	1, 2, 3	Water Dispersible	Universal Polymer & Rubber 15730 South Madison Road Middlefield, OH 44062
0440	CR-012 Profile Gasket	1, 2, 3	Custom Pipe Joint (Water Dispersible)	<i>SMM: APS00001620</i>
0441	O-Ring Gasket	1, 2, 3		

PRODUCT SOURCE CODE	GASKET MATERIAL	TYPE OF JOINT	PRIMER & LUBRICANT	SOURCE
(B) RUBBER (continued) <i>(SMM Material Code, 1006M08310)</i>				
0436	Vertite Profile Pipe Gasket - use only with Corr-21 bell/spigot pipe (Source 6614)	1, 2, 3	Water Dispersible	Vertex, Inc. 3956 Mogadore Industrial Pkwy. Mogadore, OH 44260 <i>SMM: APS00001740</i>
0438	Vertite Profile Pipe Gasket - use only with NFlow bell/spigot pipe (Source 6617)	1, 2, 3	Water Dispersible Lubricant	
(C) CONNECTIONS TO PRECAST UNITS <i>(SMM Material Code, 1006M08320)</i>				
0406	STM Connector		Pro-Lube	A-Lok Products, Inc. P. O. Box 1647 Tullytown, PA 19007 <i>SMM: APS00001750</i>
0407	10-PSI Gasket		Pro-Lube	
0419	Press Boot		None Required	Press-Seal Gasket Corporation <i>SMM: APS00001710</i>
0444	Kor-N-Seal		None Required	Trelleborg Pipe Seals Milford, Inc. P. O. Box 301 Millford, NH 03055 <i>SMM: APS00010950</i>

REFERENCE:

DOTD Standard Specifications, Subsection 1006.05, 1006.06, 1006.07, 1007.09, 1016.02

NOTE:

Only the primer listed may be used with the respective material. All material, regardless of prior approval, shall be sampled in accordance with the Louisiana DOTD Pipe Handbook and tested for conformance to the original sample and the current specification. Any deviation in performance from the original sample submitted or the current specification may result in removal of the product from the qualified list.

No information contained in this list is to be used for promotional purposes.