



NOTES

This sheet shall be used with Temporary Traffic Control General Notes Sheets TTC-00(A), TTC-00(B), TTC-00(C), and TTC-00(D).

1. This layout represents the minimum traffic controls required for median crossovers on non-interstate divided highways. For advance signing see TTC-00(D) and TTC-09.
2. For posted speed limits prior to construction that are greater than 45 mph, concrete barriers shall be required to separate the lanes of travel. For posted speed limits prior to construction that are 45 mph or less, concrete barriers may be substituted by tubular markers or flexposts.
3. Temporary raised pavement markers spaced at 15 FT C/C shall be used to supplement the white and yellow temporary edge lines through the reverse curves of the crossover. All temporary edge lines between the barrier rail and the beginning of the lane reduction taper shall have temporary raised pavement markers spaced at 15 FT C/C.

4. When traffic controls are planned to be in place for more than 3 days, conflicting pavement markings shall be removed and temporary markings added.
5. Advisory speed plaques (W13-1) shall be required if the difference between the speed limit prior to construction and the advisory speed (determined by an engineering study performed by the DTOE) is 10 mph or greater.

ALL TTC STANDARDS SHOW MINIMUM CONSTRUCTION SIGNING.
 ALL SITUATIONS SHALL BE REVIEWED AND/OR DESIGNED BY THE ENGINEER.
 CONTRACTORS ARE RESPONSIBLE FOR COMPLYING WITH ALL TTC STANDARDS.

** Speed limit is to be returned to the legally established speed limit.

LEGEND

- ▬ Traffic Sign
- Channelizing Devices
- ▨ Type III Barricades
- ← Flashing Arrow Panel
- ▨ Work Area
- ▬ Concrete Barrier
- Type B Light
- Direction of Travel

SHEET NUMBER	DATE	BY	REVISION DESCRIPTION
DESIGNED BY	CHECKED BY	DRAWN BY	DATE
J. COLVIN	P. ALLAIN	M.D. OROGNE	02/13/2013
CHECKED BY	DATE	DATE	DATE
J. COLVIN	02/13/2013		
PARISH	FEDERAL PROJECT	STATE PROJECT	
TEMPORARY TRAFFIC CONTROL FOR MEDIAN CROSSOVER ON NON-INTERSTATE DIVIDED HIGHWAYS			
TRAFFIC ENGINEERING			